





Cub Cadet	168
DOLMAR	169
ECHO	171
FAIRMONT HYDRAULIC	172
FRONTIER	173
HOMELITE	174
HUSQVARNA	176
JOHN DEERE	178




JONSERED	180
MAKITA	183
MARUYAMA POLE SAWS	185
McCULLOCH	186
OLYMPYK	187
PARTNER	188
PIONEER	189
POULAN	190

POWER PRUNER	192
REDMAX	193
REMINGTON	194
SEARS	195
SHINDAIWA	196
SOLO	198
TANAKA	199
TROY	200

Cub Cadet

																
		STIHL PICCO Micro 3	STIHL PICCO Super 3	STIHL PICCO Duro 3	STIHL RAPID Micro 3	STIHL RAPID Super 3	STIHL RAPID Duro 3	STIHL PICCO Micro	STIHL PICCO Super	STIHL RAPID Micro	STIHL RAPID Micro F	STIHL RAPID Super	STIHL RAPID Super F	STIHL RAPID Super K		
CS-3916																
35 14	$\frac{3}{8}$ " P	1.3 .050	52	63 PM 3 52	63 PS 3 52	63 PD 3 52	-	-	-	63 PM 52	63 PS 52	-	-	-	-	
40 16	$\frac{3}{8}$ " P	1.3 .050	57	63 PM 3 57	63 PS 3 57	63 PD 3 57	-	-	-	63 PM 57	63 PS 57	-	-	-	-	
			58	63 PM 3 58	63 PS 3 58	63 PD 3 58	-	-	-	63 PM 58	63 PS 58	-	-	-	-	-
45 18	$\frac{3}{8}$ " P	1.3 .050	62	63 PM 3 62	63 PS 3 62	63 PD 3 62	-	-	-	63 PM 62	63 PS 62	-	-	-	-	
CS-5018, CS-5220																
40 16	.325	1.3 .050	66	-	-	-	23 RM 3 66	-	23 RD 3 66	-	-	23 RM 66	-	23 RS 66	-	
45 18	.325	1.3 .050	72	-	-	-	23 RM 3 72	-	23 RD 3 72	-	-	23 RM 72	-	23 RS 72	-	
50 20	.325	1.3 .050	78	-	-	-	23 RM 3 78	-	23 RD 3 78	-	-	23 RM 78	-	23 RS 78	-	
CS-5720																
40 16	$\frac{3}{8}$ "	1.3 .050	60	-	-	-	33 RM 3 60	33 RS 3 60	33 RD 3 60	-	-	33 RM 60	33 RMF 60	33 RS 60	33 RSF 60	33 RSK 60
45 18	$\frac{3}{8}$ "	1.3 .050	68	-	-	-	33 RM 3 68	33 RS 3 68	33 RD 3 68	-	-	33 RM 68	33 RMF 68	33 RS 68	33 RSF 68	33 RSK 68
50 20	$\frac{3}{8}$ "	1.3 .050	72	-	-	-	33 RM 3 72	33 RS 3 72	33 RD 3 72	-	-	33 RM 72	33 RMF 72	33 RS 72	33 RSF 72	33 RSK 72
60 24	$\frac{3}{8}$ "	1.3 .050	84	-	-	-	33 RM 3 84	33 RS 3 84	33 RD 3 84	-	-	33 RM 84	33 RMF 84	33 RS 84	33 RSF 84	33 RSK 84

														
cm in.		mm in.		STIHL PICCO Micro 3	STIHL PICCO Duro 3	STIHL RAPID Micro 3	STIHL RAPID Super 3	STIHL RAPID Duro 3	STIHL PICCO Micro	STIHL PICCO Super	STIHL RAPID Micro	STIHL RAPID Super	STIHL RAPID Super F	STIHL RAPID Super K
100, 101, 102, 103, 104, 105, 106, 108, ES-161, ES-171, PS 34, PS 340, PS 341, PS 400, PS 401, PS 300 th														
30 12	3/8" P	1.3 .050	45	63 PM3 45	63 PD3 45	-	63 PS3 45	-	63 PM 45	63 PS 45	-	-	-	-
			47	63 PM3 47	63 PD3 47	-	63 PS3 47	-	63 PM 47	63 PS 47	-	-	-	-
35 14	3/8" P	1.3 .050	52	63 PM3 52	63 PD3 52	-	63 PS3 52	-	63 PM 52	63 PS 52	-	-	-	-
			56	63 PM3 56	63 PD3 56	-	63 PS3 56	-	63 PM 56	63 PS 56	-	-	-	-
40 16	3/8" P	1.3 .050	58	63 PM3 58	63 PD3 58	-	63 PS3 58	-	63 PM 58	63 PS 58	-	-	-	-
			62	63 PM3 62	63 PD3 62	-	63 PS3 62	-	63 PM 62	63 PS 62	-	-	-	-
109, 110, 111, 115, PS 540														
28 11	.325	1.5 .058	52	-	-	25 RM3 52	-	25 RD3 52	-	-	25 RM 52	25 RS 52	-	-
		1.3 .050	56	-	-	23 RM3 56	-	23 RD3 56	-	-	23 RM 56	23 RS 56	-	-
33 13	.325	1.5 .058	56	-	-	25 RM3 56	-	25 RD3 56	-	-	25 RM 56	25 RS 56	-	-
		1.3 .050	64	-	-	23 RM3 64	-	23 RD3 64	-	-	23 RM 64	23 RS 64	-	-
38 15	.325	1.5 .058	64	-	-	25 RM3 64	-	25 RD3 64	-	-	25 RM 64	25 RS 64	-	-
		1.3 .050	66	-	-	23 RM3 66	-	23 RD3 66	-	-	23 RM 66	23 RS 66	-	-
40 16	.325	1.5 .058	66	-	-	25 RM3 66	-	25 RD3 66	-	-	25 RM 66	25 RS 66	-	-
		1.3 .050	72	-	-	23 RM3 72	-	23 RD3 72	-	-	23 RM 72	23 RS 72	-	-
45 18	.325	1.5 .058	72	-	-	25 RM3 72	-	25 RD3 72	-	-	25 RM 72	25 RS 72	-	-
		1.3 .050	78	-	-	23 RM3 78	-	23 RD3 78	-	-	23 RM 78	23 RS 78	-	-
50 20	.325	1.5 .058	78	-	-	25 RM3 78	-	25 RD3 78	-	-	25 RM 78	25 RS 78	-	-
110, 111, 112, 113, 114, 115, 116, 116 si, 117, 118, 119, PS 540, PS 6000 i														
40 16	3/8"	1.3 .050	59	-	-	33 RM3 59	33 RS3 59	33 RD3 59	-	-	33 RM 59	33 RS 59	33 RSF 59	33 RSK 59
			60	-	-	33 RM3 60	33 RS3 60	33 RD3 60	-	-	33 RM 60	33 RS 60	33 RSF 60	33 RSK 60
		1.5 .058	59	-	-	-	-	-	-	-	35 RM 59	35 RS 59	-	-
			60	-	-	-	-	-	-	-	35 RM 60	35 RS 60	-	-
45 18	3/8"	1.3 .050	64	-	-	33 RM3 64	33 RS3 64	33 RD3 64	-	-	33 RM 64	33 RS 64	33 RSF 64	33 RSK 64
			64	-	-	-	-	-	-	-	35 RM 64	35 RS 64	-	-
50 20	3/8"	1.3 .050	70	-	-	33 RM3 70	33 RS3 70	33 RD3 70	-	-	33 RM 70	33 RS 70	33 RSF 70	33 RSK 70
			72	-	-	33 RM3 72	33 RS3 72	33 RD3 72	-	-	33 RM 72	33 RS 72	33 RSF 72	33 RSK 72
			72	-	-	-	-	-	-	-	35 RM 72	35 RS 72	-	-
60 24	3/8"	1.3 .050	84	-	-	33 RM3 84	33 RS3 84	33 RD3 84	-	-	33 RM 84	33 RS 84	33 RSF 84	33 RSK 84
			84	-	-	-	-	-	-	-	35 RM 84	35 RS 84	-	-
120, 120 Super, 120 si, PS 6800 i														
40 16	3/8"	1.3 .050	59	-	-	33 RM3 59	33 RS3 59	33 RD3 59	-	-	33 RM 59	33 RS 59	33 RSF 59	33 RSK 59
			60	-	-	33 RM3 60	33 RS3 60	33 RD3 60	-	-	33 RM 60	33 RS 60	33 RSF 60	33 RSK 60
		1.5 .058	59	-	-	-	-	-	-	-	35 RM 59	35 RS 59	-	-
			60	-	-	-	-	-	-	-	35 RM 60	35 RS 60	-	-
45 18	3/8"	1.3 .050	64	-	-	33 RM3 64	33 RS3 64	33 RD3 64	-	-	33 RM 64	33 RS 64	33 RSF 64	33 RSK 64
			64	-	-	-	-	-	-	-	35 RM 64	35 RS 64	-	-
50 20	3/8"	1.3 .050	70	-	-	33 RM3 70	33 RS3 70	33 RD3 70	-	-	33 RM 70	33 RS 70	33 RSF 70	33 RSK 70
			72	-	-	33 RM3 72	33 RS3 72	33 RD3 72	-	-	33 RM 72	33 RS 72	33 RSF 72	33 RSK 72
			72	-	-	-	-	-	-	-	35 RM 72	35 RS 72	-	-
60 24	3/8"	1.3 .050	81	-	-	33 RM3 81	33 RS3 81	33 RD3 81	-	-	33 RM 81	33 RS 81	33 RSF 81	33 RSK 81
			84	-	-	33 RM3 84	33 RS3 84	33 RD3 84	-	-	33 RM 84	33 RS 84	33 RSF 84	33 RSK 84
		1.5 .058	84	-	-	-	-	-	-	35 RM 84	35 RS 84	-	-	
122, 123, 133, 143, 144, 152, 153, 166, CA														
43 17	3/8"	1.5 .058	64	-	-	-	-	-	-	-	35 RM 64	35 RS 64	-	-
			64	-	-	36 RM3 64	36 RS3 64	36 RD3 64	-	-	36 RM 64	36 RS 64	-	-
50 20	3/8"	1.3 .050	72	-	-	33 RM3 72	33 RS3 72	33 RD3 72	-	-	33 RM 72	33 RS 72	33 RSF 72	33 RSK 72
			72	-	-	-	-	-	-	-	35 RM 72	35 RS 72	-	-
60 24	3/8"	1.3 .050	81	-	-	33 RM3 81	33 RS3 81	33 RD3 81	-	-	33 RM 81	33 RS 81	33 RSF 81	33 RSK 81
66 26	3/8"	1.5 .058	89	-	-	-	-	-	-	-	35 RM 89	35 RS 89	-	-
71 28	3/8"	1.5 .058	92	-	-	-	-	-	-	-	35 RM 92	35 RS 92	-	-
81 32	3/8"	1.6 .063	110	-	-	36 RM3 110	36 RS3 110	36 RD3 110	-	-	36 RM 110	36 RS 110	-	-
91 36	3/8"	1.6 .063	119	-	-	36 RM3 119	36 RS3 119	36 RD3 119	-	-	36 RM 119	36 RS 119	-	-




														
 cm in.	 mm in.		STIHL PICCO	STIHL PICCO	STIHL RAPID	STIHL RAPID	STIHL RAPID	STIHL PICCO	STIHL PICCO	STIHL RAPID	STIHL RAPID	STIHL RAPID	STIHL RAPID	
			Micro 3	Duro 3	Micro 3	Super 3	Duro 3	Micro	Super	Micro	Super	Super F	Super K	
PS 6400, PS 7300, PS 7900, PS 9000, PS 9010 FL														
40 16	3/8"	1.3 .050	60	-	-	33 RM3 60	33 RS3 60	33 RD3 60	-	-	33 RM 60	33 RS 60	33 RSF 60	33 RSK 60
		1.5 .058	60	-	-	-	-	-	-	-	35 RM 60	35 RS 60	-	-
45 18	3/8"	1.3 .050	68	-	-	33 RM3 68	33 RS3 68	33 RD3 68	-	-	33 RM 68	33 RS 68	33 RSF 68	33 RSK 68
		1.5 .058	68	-	-	-	-	-	-	-	35 RM 68	35 RS 68	-	-
50 20	3/8"	1.3 .050	72	-	-	33 RM3 72	33 RS3 72	33 RD3 72	-	-	33 RM 72	33 RS 72	33 RSF 72	33 RSK 72
		1.5 .058	72	-	-	-	-	-	-	-	35 RM 72	35 RS 72	-	-
		1.6 .063	72	-	-	36 RM3 72	36 RS3 72	36 RD3 72	-	-	36 RM 72	36 RS 72	-	-
56 22	3/8"	1.3 .050	76	-	-	33 RM3 76	33 RS3 76	33 RD3 76	-	-	33 RM 76	33 RS 76	33 RSF 76	33 RSK 76
		1.3 .050	84	-	-	33 RM3 84	33 RS3 84	33 RD3 84	-	-	33 RM 84	33 RS 84	33 RSF 84	33 RSK 84
60 24	3/8"	1.5 .058	84	-	-	-	-	-	-	-	35 RM 84	35 RS 84	-	-
		1.6 .063	84	-	-	36 RM3 84	36 RS3 84	36 RD3 84	-	-	36 RM 84	36 RS 84	-	-
		1.3 .050	93	-	-	33 RM3 93	33 RS3 93	33 RD3 93	-	-	33 RM 93	33 RS 93	33 RSF 93	33 RSK 93
71 28	3/8"	1.5 .058	92	-	-	-	-	-	-	-	35 RM 92	35 RS 92	-	-
		1.6 .063	93	-	-	36 RM3 93	36 RS3 93	36 RD3 93	-	-	36 RM 93	36 RS 93	-	-
		1.3 .050	98	-	-	33 RM3 98	33 RS3 98	33 RD3 98	-	-	33 RM 98	33 RS 98	33 RSF 98	33 RSK 98
76 30	3/8"	1.6 .063	98	-	-	36 RM3 98	36 RS3 98	36 RD3 98	-	-	36 RM 98	36 RS 98	-	-
		1.3 .050	105	-	-	33 RM3 105	33 RS3 105	33 RD3 105	-	-	33 RM 105	33 RS 105	33 RSF 105	33 RSK 105
81 32	3/8"	1.6 .063	105	-	-	36 RM3 105	36 RS3 105	36 RD3 105	-	-	36 RM 105	36 RS 105	-	-
		1.5 .058	110	-	-	-	-	-	-	-	35 RM 110	35 RS 110	-	-
86 34	3/8"	1.6 .063	110	-	-	36 RM3 110	36 RS3 110	36 RD3 110	-	-	36 RM 110	36 RS 110	-	-
91 36	3/8"	1.6 .063	115	-	-	36 RM3 115	36 RS3 115	36 RD3 115	-	-	36 RM 115	36 RS 115	-	-
94 37	3/8"	1.5 .058	119	-	-	-	-	-	-	-	35 RM 119	35 RS 119	-	-
PS 9000, PS 9010 FL														
50 20	.404	1.6 .063	65	-	-	-	-	-	-	-	46 RM 65	46 RS 65	46 RSF 65	-






STIHL		STIHL												
cm in.	mm in.	STIHL PICCO Micro 3	STIHL PICCO Duro 3	STIHL RAPID Micro 3	STIHL RAPID Super 3	STIHL RAPID Duro 3	STIHL PICCO Micro	STIHL PICCO Super	STIHL RAPID Micro	STIHL RAPID Super	STIHL RAPID Super F	STIHL RAPID Super K		
CS-280, CS-290, CS-300, CS-300 EVL, CS-301, CS-302, CS-302 S, CS-305, CS-310, CS-315, CS-330, CS-330 T, CS-340, CS-341, CS-345, CS-346, CS-351, CS-360 T, CS-3000, CS-3400, CS-3450, ECS-2000, ECS-3000														
30 12	3/8" P	1.3 .050	45	63 PM3 45	63 PD3 45	-	63 PS3 45	-	63 PM 45	63 PS 45	-	-		
			47	63 PM3 47	63 PD3 47	-	63 PS3 47	-	63 PM 47	63 PS 47	-	-		
35 14	3/8" P	1.3 .050	52	63 PM3 52	63 PD3 52	-	63 PS3 52	-	63 PM 52	63 PS 52	-	-		
			56	63 PM3 56	63 PD3 56	-	63 PS3 56	-	63 PM 56	63 PS 56	-	-		
40 16	3/8" P	1.3 .050	57	63 PM3 57	63 PD3 57	-	63 PS3 57	-	63 PM 57	63 PS 57	-	-		
			58	63 PM3 58	63 PD3 58	-	63 PS3 58	-	63 PM 58	63 PS 58	-	-		
45 18	3/8" P	1.3 .050	62	63 PM3 62	63 PD3 62	-	63 PS3 62	-	63 PM 62	63 PS 62	-	-		
CS-400, CS-440, CS-490 CS-510, CS-520, CS-3600, CS-3900, CS-4000, CS-4100, CS-4400, CS-4500, CS-4600, CS-5000														
33 13	.325	1.3 .050	56	-	-	23 RM3 56	-	23 RD3 56	-	-	23 RM 56	23 RS 56	-	-
35 14	.325	1.3 .050	59	-	-	23 RM3 59	-	23 RD3 59	-	-	23 RM 59	23 RS 59	-	-
38 15	.325	1.3 .050	64	-	-	23 RM3 64	-	23 RD3 64	-	-	23 RM 64	23 RS 64	-	-
40 16	.325	1.3 .050	66	-	-	23 RM3 66	-	23 RD3 66	-	-	23 RM 66	23 RS 66	-	-
43 17	.325	1.3 .050	72	-	-	23 RM3 72	-	23 RD3 72	-	-	23 RM 72	23 RS 72	-	-
50 20	.325	1.3 .050	78	-	-	23 RM3 78	-	23 RD3 78	-	-	23 RM 78	23 RS 78	-	-
CS-501, CS-5500														
40 16	.325	1.3 .050	68	-	-	23 RM3 68	-	23 RD3 68	-	-	23 RM 68	23 RS 68	-	-
50 20	.325	1.3 .050	79	-	-	23 RM3 79	-	23 RD3 79	-	-	23 RM 79	23 RS 79	-	-
60 24	.325	1.3 .050	91	-	-	23 RM3 91	-	23 RD3 91	-	-	23 RM 91	23 RS 91	-	-
CS-60, CS-60 S, CS-451, CS-452, CS-500, CS-501 EVL, CS-510 EVL, CS-550, CS-601, CS-602, CST-610														
40 16	3/8" P	1.3 .050	60	-	-	33 RM3 60	33 RS3 60	33 RD3 60	-	-	33 RM 60	33 RS 60	33 RSF 60	33 RSK 60
45 18	3/8" P	1.3 .050	64	-	-	33 RM3 64	33 RS3 64	33 RD3 64	-	-	33 RM 64	33 RS 64	33 RSF 64	33 RSK 64
			66	-	-	33 RM3 66	33 RS3 66	33 RD3 66	-	-	33 RM 66	33 RS 66	33 RSF 66	33 RSK 66
50 20	3/8" P	1.3 .050	70	-	-	33 RM3 70	33 RS3 70	33 RD3 70	-	-	33 RM 70	33 RS 70	33 RSF 70	33 RSK 70
60 24	3/8" P	1.3 .050	81	-	-	33 RM3 81	33 RS3 81	33 RD3 81	-	-	33 RM 81	33 RS 81	33 RSF 81	33 RSK 81
69 27	3/8" P	1.3 .050	93	-	-	33 RM3 93	33 RS3 93	33 RD3 93	-	-	33 RM 93	33 RS 93	33 RSF 93	33 RSK 93
CS-650, CS-660, CS-670, CS-701, CS-702, CS-750, CS-6700, CS-8000, CS-900, CS-1001														
40 16	3/8" P	1.3 .050	60	-	-	33 RM3 60	33 RS3 60	33 RD3 60	-	-	33 RM 60	33 RS 60	33 RSF 60	33 RSK 60
45 18	3/8" P	1.3 .050	64	-	-	33 RM3 64	33 RS3 64	33 RD3 64	-	-	33 RM 64	33 RS 64	33 RSF 64	33 RSK 64
			66	-	-	33 RM3 66	33 RS3 66	33 RD3 66	-	-	33 RM 66	33 RS 66	33 RSF 66	33 RSK 66
50 20	3/8" P	1.3 .050	70	-	-	33 RM3 70	33 RS3 70	33 RD3 70	-	-	33 RM 70	33 RS 70	33 RSF 70	33 RSK 70
60 24	3/8" P	1.3 .050	81	-	-	33 RM3 81	33 RS3 81	33 RD3 81	-	-	33 RM 81	33 RS 81	33 RSF 81	33 RSK 81
69 27	3/8" P	1.3 .050	93	-	-	33 RM3 93	33 RS3 93	33 RD3 93	-	-	33 RM 93	33 RS 93	33 RSF 93	33 RSK 93
CS-900, CS-1001														
53 21	3/8" P	1.6 .063	79	-	-	36 RM3 79	36 RS3 79	36 RD3 79	-	-	36 RM 79	36 RS 79	-	-
PPF-210, PPF-211, PPT-230, PPT-231, PPT-260, PPT-261														
30 12	3/8" P	1.3 .050	44	63 PM3 44	63 PD3 44	-	63 PS3 44	-	63 PM 44	63 PS 44	-	-	-	-




FAIRMONT HYDRAULIC



FAIRMONT HYDRAULIC | FRONTIER

STIHL													
cm in.		mm in.		STIHL RAPID Micro 3	STIHL RAPID Super 3	STIHL RAPID Duro 3	STIHL RAPID Micro	STIHL RAPID Super	STIHL RAPID Super F	STIHL RAPID Super K			
38568, 43177, 43178, HCS 513, HCS 516, HCS 520, HPS 513, Limbopper													
28 11	.325	1.5 .058	52	25 RM3 52	-	25 RD3 52	25 RM 52	25 RS 52	-	-			
		1.3 .050	56	23 RM3 56	-	23 RD3 56	23 RM 56	23 RS 56	-	-			
33 13	.325	1.5 .058	56	25 RM3 56	-	25 RD3 56	25 RM 56	25 RS 56	-	-			
		1.3 .050	64	23 RM3 64	-	23 RD3 64	23 RM 64	23 RS 64	-	-			
38 15	.325	1.5 .058	64	25 RM3 64	-	25 RD3 64	25 RM 64	25 RS 64	-	-			
		1.3 .050	66	23 RM3 66	-	23 RD3 66	23 RM 66	23 RS 66	-	-			
40 16	.325	1.5 .058	66	25 RM3 66	-	25 RD3 66	25 RM 66	25 RS 66	-	-			
		1.3 .050	72	23 RM3 72	-	23 RD3 72	23 RM 72	23 RS 72	-	-			
45 18	.325	1.5 .058	72	25 RM3 72	-	25 RD3 72	25 RM 72	25 RS 72	-	-			
		1.3 .050	78	23 RM3 78	-	23 RD3 78	23 RM 78	23 RS 78	-	-			
50 20	.325	1.5 .058	78	25 RM3 78	-	25 RD3 78	25 RM 78	25 RS 78	-	-			
		1.3 .050	84	23 RM3 84	-	23 RD3 84	23 RM 84	23 RS 84	-	-			
		1.5 .058	84	25 RM3 84	-	25 RD3 84	25 RM 84	25 RS 84	-	-			
H 6200 B													
40 16	$\frac{3}{8}$ "	1.3 .050	60	33 RM3 60	33 RS3 60	33 RD3 60	33 RM 60	33 RS 60	33 RSF 60	33 RSK 60			
H 6220 B, H 6310 C 1, H 6311 C 1													
30 12	$\frac{3}{8}$ "	1.3 .050	49	33 RM3 49	33 RS3 49	33 RD3 49	33 RM 49	33 RS 49	33 RSF 49	33 RSK 49			
H 6220 B 1, H 6310 C, H 6311 C													
23 9	$\frac{3}{8}$ "	1.3 .050	41	33 RM3 41	33 RS3 41	33 RD3 41	33 RM 41	33 RS 41	33 RSF 41	33 RSK 41			
HCS 816, HCS 820, HCS 824													
40 16	$\frac{3}{8}$ "	1.3 .050	60	33 RM3 60	33 RS3 60	33 RD3 60	33 RM 60	33 RS 60	33 RSF 60	33 RSK 60			
		1.5 .058	60	-	-	-	35 RM 60	35 RS 60	-	-			
45 18	$\frac{3}{8}$ "	1.3 .050	68	33 RM3 68	33 RS3 68	33 RD3 68	33 RM 68	33 RS 68	33 RSF 68	33 RSK 68			
		1.5 .058	68	-	-	-	35 RM 68	35 RS 68	-	-			
50 20	$\frac{3}{8}$ "	1.3 .050	72	33 RM3 72	33 RS3 72	33 RD3 72	33 RM 72	33 RS 72	33 RSF 72	33 RSK 72			
		1.5 .058	72	-	-	-	35 RM 72	35 RS 72	-	-			
56 22	$\frac{3}{8}$ "	1.5 .058	77	-	-	-	35 RM 77	35 RS 77	-	-			
60 24	$\frac{3}{8}$ "	1.3 .050	84	33 RM3 84	33 RS3 84	33 RD3 84	33 RM 84	33 RS 84	33 RSF 84	33 RSK 84			
		1.5 .058	84	-	-	-	35 RM 84	35 RS 84	-	-			

								
 cm in.		 mm in.		STIHL PICCO Micro 3	STIHL PICCO Duro 3	STIHL RAPID Super 3	STIHL PICCO Micro	STIHL PICCO Super
F-35, FB-35, Mark I								
30 12	3/8" P	1.3 .050	45	63 PM3 45	63 PD3 45	63 PS3 45	63 PM 45	63 PS 45
35 14	3/8" P	1.3 .050	52	63 PM3 52	63 PD3 52	63 PS3 52	63 PM 52	63 PS 52
40 16	3/8" P	1.3 .050	56	63 PM3 56	63 PD3 56	63 PS3 56	63 PM 56	63 PS 56

																
																
cm in.	$\frac{3}{8}$ " P	mm in.	STIHL PICCO Micro 3	STIHL PICCO Duro 3	STIHL RAPID Micro 3	STIHL RAPID Super 3	STIHL RAPID Duro 3	STIHL PICCO Micro	STIHL PICCO Super	STIHL RAPID Micro	STIHL RAPID Micro H	STIHL RAPID Micro K	STIHL RAPID Super	STIHL RAPID Super F	STIHL RAPID Super K	
180 Series, 190, 192, Bandit, Classic 192, Electric 200, 240, 40 SL, 245, Little Red, LX-30, Super 2, Super 2 CC, VI Super 2, XEL-14, XEL Electric, XL, XL 2, XL-2 CC, XL-10, XL-14, XL-16																
			47	63 PM3 47	63 PD3 47	-	63 PS3 47	-	63 PM 47	63 PS 47	-	-	-	-	-	
30 12		1.3 .050	48	63 PM3 48	63 PD3 48	-	63 PS3 48	-	63 PM 48	63 PS 48	-	-	-	-	-	
			52	63 PM3 52	63 PD3 52	-	63 PS3 52	-	63 PM 52	63 PS 52	-	-	-	-	-	
35 14		1.3 .050	53	63 PM3 53	63 PD3 53	-	63 PS3 53	-	63 PM 53	63 PS 53	-	-	-	-	-	
			59	63 PM3 59	63 PD3 59	-	63 PS3 59	-	63 PM 59	63 PS 59	-	-	-	-	-	
40 16		1.3 .050	64	63 PM3 64	63 PD3 64	-	63 PS3 64	-	63 PM 64	63 PS 64	-	-	-	-	-	
			62	70 PM3 62	70 PD3 62	-	70 PS3 62	-	70 PM 62	70 PS 62	-	-	-	-	-	
45 18		1.3 .050														
20, 20 AV, 23 AV, 27, 3300, 3350, 3550, 3800, 3850, 4500, 4550, CS-40, d 3300, d 3350 b, i 3350 b, d 3850, d 3850 b, z 3850, PS 33, Ranger, T 10901, UT 10901 A, UT 10926, UT 10947 A, UT 10974 A																
			45	63 PM3 45	63 PD3 45	-	63 PS3 45	-	63 PM 45	63 PS 45	-	-	-	-	-	
30 12		1.3 .050	52	63 PM3 52	63 PD3 52	-	63 PS3 52	-	63 PM 52	63 PS 52	-	-	-	-	-	
			56	63 PM3 56	63 PD3 56	-	63 PS3 56	-	63 PM 56	63 PS 56	-	-	-	-	-	
35 14		1.3 .050	62	63 PM3 62	63 PD3 62	-	63 PS3 62	-	63 PM 62	63 PS 62	-	-	-	-	-	
			62	63 PM3 62	63 PD3 62	-	63 PS3 62	-	63 PM 62	63 PS 62	-	-	-	-	-	
40 16		1.3 .050														
45 18		1.3 .050														
25, 27, 4100, 4150, 4500, 4550, d 4550 b, i 3850 b, i 4150 b, i 4550 b, UPER 240, Timberman, UT 10896, UT 10910, UT 10927 A, UT 10942 A, T 10946 A																
			66	-	-	23 RM3 66	-	23 RD3 66	-	-	23 RM 66	-	-	23 RS 66	-	
40 16	.325	1.3 .050	72	-	-	23 RM3 72	-	23 RD3 72	-	-	23 RM 72	-	-	23 RS 72	-	
	.325	1.3 .050	78	-	-	23 RM3 78	-	23 RD3 78	-	-	23 RM 78	-	-	23 RS 78	-	
45 18	.325	1.3 .050														
50 20	.325	1.3 .050														
25 SL, 240, 240 SL, 245																
			53	-	-	23 RM3 53	-	23 RD3 53	-	-	23 RM 53	-	-	23 RS 53	-	
30 12	.325	1.3 .050	59	-	-	23 RM3 59	-	23 RD3 59	-	-	23 RM 59	-	-	23 RS 59	-	
	.325	1.3 .050	67	-	-	23 RM3 67	-	23 RD3 67	-	-	23 RM 67	-	-	23 RS 67	-	
40 16	.325	1.3 .050														
30, 130, 150, 150 AO, 250, 252, 290, 340, Big Red, CS-50, EZ 250, Mini SL, Super EZ AO, XL-76, XL 100 Series																
			59	-	-	33 RM3 59	33 RS3 59	33 RD3 59	-	-	33 RM 59	-	-	33 RS 59	33 RSF 59	33 RSK 59
40 16	$\frac{3}{8}$ "	1.3 .050	64	-	-	33 RM3 64	33 RS3 64	33 RD3 64	-	-	33 RM 64	-	-	33 RS 64	33 RSF 64	33 RSK 64
	$\frac{3}{8}$ "	1.3 .050	70	-	-	33 RM3 70	33 RS3 70	33 RD3 70	-	-	33 RM 70	-	-	33 RS 70	33 RSF 70	33 RSK 70
50 20	$\frac{3}{8}$ "	1.3 .050														
35 SL, 330, 350, 360, Super XL, Super XL-AO, XL-12, XL-15																
			59	-	-	33 RM3 59	33 RS3 59	33 RD3 59	-	-	33 RM 59	-	-	33 RS 59	33 RSF 59	33 RSK 59
40 16	$\frac{3}{8}$ "	1.3 .050	60	-	-	33 RM3 60	33 RS3 60	33 RD3 60	-	-	33 RM 60	-	-	33 RS 60	33 RSF 60	33 RSK 60
	$\frac{3}{8}$ "	1.3 .050	64	-	-	33 RM3 64	33 RS3 64	33 RD3 64	-	-	33 RM 64	-	-	33 RS 64	33 RSF 64	33 RSK 64
	$\frac{3}{8}$ "	1.3 .050	66	-	-	33 RM3 66	33 RS3 66	33 RD3 66	-	-	33 RM 66	-	-	33 RS 66	33 RSF 66	33 RSK 66
45 18	$\frac{3}{8}$ "	1.3 .050	70	-	-	33 RM3 70	33 RS3 70	33 RD3 70	-	-	33 RM 70	-	-	33 RS 70	33 RSF 70	33 RSK 70
	$\frac{3}{8}$ "	1.3 .050	81	-	-	33 RM3 81	33 RS3 81	33 RD3 81	-	-	33 RM 81	-	-	33 RS 81	33 RSF 81	33 RSK 81
60 24	$\frac{3}{8}$ "	1.3 .050	93	-	-	33 RM3 93	33 RS3 93	33 RD3 93	-	-	33 RM 93	-	-	33 RS 93	33 RSF 93	33 RSK 93
69 27	$\frac{3}{8}$ "	1.3 .050														
400, 410, 450, 460, 540, 550, 650, 700, 750, 800, 825, 850, 900, 922, 923, Super XL 925, V-955, XL 400, XL 700 Series, XL 800 Series, XL 900 Series																
			59	-	-	33 RM3 59	33 RS3 59	33 RD3 59	-	-	33 RM 59	-	-	33 RS 59	33 RSF 59	33 RSK 59
40 16	$\frac{3}{8}$ "	1.3 .050	60	-	-	33 RM3 60	33 RS3 60	33 RD3 60	-	-	33 RM 60	-	-	33 RS 60	33 RSF 60	33 RSK 60
	$\frac{3}{8}$ "	1.3 .050	64	-	-	33 RM3 64	33 RS3 64	33 RD3 64	-	-	33 RM 64	-	-	33 RS 64	33 RSF 64	33 RSK 64
	$\frac{3}{8}$ "	1.3 .050	66	-	-	33 RM3 66	33 RS3 66	33 RD3 66	-	-	33 RM 66	-	-	33 RS 66	33 RSF 66	33 RSK 66
45 18	$\frac{3}{8}$ "	1.3 .050	70	-	-	33 RM3 70	33 RS3 70	33 RD3 70	-	-	33 RM 70	-	-	33 RS 70	33 RSF 70	33 RSK 70
	$\frac{3}{8}$ "	1.3 .050	79	-	-	36 RM3 79	36 RS3 79	36 RD3 79	-	-	36 RM 79	-	-	36 RS 79	-	-
50 20	$\frac{3}{8}$ "	1.6 .063	81	-	-	33 RM3 81	33 RS3 81	33 RD3 81	-	-	33 RM 81	-	-	33 RS 81	33 RSF 81	33 RSK 81
	$\frac{3}{8}$ "	1.3 .050	93	-	-	33 RM3 93	33 RS3 93	33 RD3 93	-	-	33 RM 93	-	-	33 RS 93	33 RSF 93	33 RSK 93
69 27	$\frac{3}{8}$ "	1.3 .050	105	-	-	36 RM3 105	36 RS3 105	36 RD3 105	-	-	36 RM 105	-	-	36 RS 105	-	-
	$\frac{3}{8}$ "	1.6 .063	106	-	-	-	-	-	-	-	46 RM 106	46 RMH 106	46 RMK 106	46 RS 106	46 RSF 106	-
81 32	$\frac{3}{8}$ "	1.6 .063	117	-	-	36 RM3 117	36 RS3 117	36 RD3 117	-	-	36 RM 117	-	-	36 RS 117	-	-
	$\frac{3}{8}$ "	1.6 .063	117	-	-	36 RM3 117	36 RS3 117	36 RD3 117	-	-	36 RM 117	-	-	36 RS 117	-	-
91 36	.404	1.6 .063														
91 36	$\frac{3}{8}$ "	1.6 .063														
C Series, SP 1000, Super 1050, Wiz, Wiz 66, XP 1000, XP 1020, XP 2000, XP 2100, Zip																
53 21	.404	1.6 .063	71	-	-	-	-	-	-	-	46 RM 71	46 RMH 71	46 RMK 71	46 RS 71	46 RSF 71	-

																	
 cm in.		 mm in.		STIHL PICCO Micro 3	STIHL PICCO Duro 3	STIHL RAPID Micro 3	STIHL RAPID Super 3	STIHL RAPID Duro 3	STIHL PICCO Micro	STIHL PICCO Super	STIHL RAPID Micro	STIHL RAPID Micro H	STIHL RAPID Micro K	STIHL RAPID Super	STIHL RAPID Super F	STIHL RAPID Super K	
CS-50																	
40 16	.325	1.3 .050	67	-	-	23 RM3 67	-	23 RD3 67	-	-	23 RM 67	-	-	23 RS 67	-	-	
45 18	.325	1.3 .050	73	-	-	23 RM3 73	-	23 RD3 73	-	-	23 RM 73	-	-	23 RS 73	-	-	
50 20	.325	1.3 .050	79	-	-	23 RM3 79	-	23 RD3 79	-	-	23 RM 79	-	-	23 RS 79	-	-	
EL-12, EL-14, EL-16																	
30 12	3/8" P	1.3 .050	45	63 PM3 45	63 PD3 45	-	63 PS3 45	-	63 PM 45	63 PS 45	-	-	-	-	-	-	
35 14	3/8" P	1.3 .050	50	63 PM3 50	63 PD3 50	-	63 PS3 50	-	63 PM 50	63 PS 50	-	-	-	-	-	-	
40 16	3/8" P	1.3 .050	56	63 PM3 56	63 PD3 56	-	63 PS3 56	-	63 PM 56	63 PS 56	-	-	-	-	-	-	



																	
				STIHL PICCO Micro 3	STIHL PICCO Duro 3	STIHL RAPID Micro 3	STIHL RAPID Super 3	STIHL RAPID Duro 3	STIHL PICCO Micro	STIHL PICCO Super	STIHL RAPID Micro	STIHL RAPID Micro F	STIHL RAPID Micro H	STIHL RAPID Micro K	STIHL RAPID Super	STIHL RAPID Super F	STIHL RAPID Super K
cm in.		mm in.															
262, 262 XP, 362, 362 XP																	
40 16	3/8"	1.3 .050	60	-	-	33 RM3 60	33 RS3 60	33 RD3 60	-	-	33 RM 60	-	-	-	33 RS 60	33 RSF 60	33 RSK 60
		1.5 .058	60	-	-	-	-	-	-	-	35 RM 60	-	-	-	35 RS 60	-	-
45 18	3/8"	1.3 .050	68	-	-	33 RM3 68	33 RS3 68	33 RD3 68	-	-	33 RM 68	-	-	-	33 RS 68	33 RSF 68	33 RSK 68
		1.5 .058	68	-	-	-	-	-	-	-	35 RM 68	-	-	-	35 RS 68	-	-
50 20	3/8"	1.3 .050	72	-	-	33 RM3 72	33 RS3 72	33 RD3 72	-	-	33 RM 72	-	-	-	33 RS 72	33 RSF 72	33 RSK 72
		1.5 .058	72	-	-	-	-	-	-	-	35 RM 72	-	-	-	35 RS 72	-	-
56 22	3/8"	1.5 .058	77	-	-	-	-	-	-	-	35 RM 77	-	-	-	35 RS 77	-	-
		1.3 .050	84	-	-	33 RM3 84	33 RS3 84	33 RD3 84	-	-	33 RM 84	-	-	-	33 RS 84	33 RSF 84	33 RSK 84
60 24	3/8"	1.5 .058	84	-	-	-	-	-	-	-	35 RM 84	-	-	-	35 RS 84	-	-
		1.3 .050	93	-	-	33 RM3 93	33 RS3 93	33 RD3 93	-	-	33 RM 93	-	-	-	33 RS 93	33 RSF 93	33 RSK 93
71 28	3/8"	1.5 .058	93	-	-	-	-	-	-	-	35 RM 93	-	-	-	35 RS 93	-	-
		1.3 .050	93	-	-	-	-	-	-	-	-	-	-	-	-	-	-
325 P 4 (12" only), 325 P 5 X, 326 P 4, 326 P 5 X, 334 T, 335, 335 XPT, 338 XPT, 1400, 1600																	
30 12	3/8" P	1.3 .050	45	63 PM3 45	63 PD3 45	-	63 PS3 45	-	63 PM 45	63 PS 45	-	-	-	-	-	-	-
35 14	3/8" P	1.3 .050	52	63 PM3 52	63 PD3 52	-	63 PS3 52	-	63 PM 52	63 PS 52	-	-	-	-	-	-	-
40 16	3/8" P	1.3 .050	56	63 PM3 56	63 PD3 56	-	63 PS3 56	-	63 PM 56	63 PS 56	-	-	-	-	-	-	-
33, 36, 38, 40, 41, 42, 44, 45, 49, 50, 51, 55, 57, 133, 136, 137, 140, 140 S, 141, 142, 154, 234, 238, 240, 242, 242 XP, 243, 246, 254, 254 XP, 257, 261, 340, 3 5, 346, 346 XP, 350, 351, 357 XP, 357 XPG, 359, 360, 444, 455 Rancher																	
28 11	.325	1.5 .058	52	-	-	25 RM3 52	-	25 RD3 52	-	-	25 RM 52	-	-	-	25 RS 52	-	-
33 13	.325	1.5 .058	56	-	-	25 RM3 56	-	25 RD3 56	-	-	25 RM 56	-	-	-	25 RS 56	-	-
38 15	.325	1.5 .058	64	-	-	25 RM3 64	-	25 RD3 64	-	-	25 RM 64	-	-	-	25 RS 64	-	-
40 16	.325	1.3 .050	66	-	-	23 RM3 66	-	23 RD3 66	-	-	23 RM 66	-	-	-	23 RS 66	-	-
		1.5 .058	66	-	-	25 RM3 66	-	25 RD3 66	-	-	25 RM 66	-	-	-	25 RS 66	-	-
45 18	.325	1.3 .050	72	-	-	23 RM3 72	-	23 RD3 72	-	-	23 RM 72	-	-	-	23 RS 72	-	-
		1.5 .058	72	-	-	25 RM3 72	-	25 RD3 72	-	-	25 RM 72	-	-	-	25 RS 72	-	-
50 20	.325	1.3 .050	78	-	-	23 RM3 78	-	23 RD3 78	-	-	23 RM 78	-	-	-	23 RS 78	-	-
		1.5 .058	78	-	-	25 RM3 78	-	25 RD3 78	-	-	25 RM 78	-	-	-	25 RS 78	-	-
34, 35, 37, 335, 338 XPT																	
30 12	3/8" P	1.3 .050	45	63 PM3 45	63 PD3 45	-	63 PS3 45	-	63 PM 45	63 PS 45	-	-	-	-	-	-	-
35 14	3/8" P	1.3 .050	52	63 PM3 52	63 PD3 52	-	63 PS3 52	-	63 PM 52	63 PS 52	-	-	-	-	-	-	-
40 16	3/8" P	1.3 .050	56	63 PM3 56	63 PD3 56	-	63 PS3 56	-	63 PM 56	63 PS 56	-	-	-	-	-	-	-
36, 40, 41, 42, 45, 49, 51, 55, 55 Rancher, 136, 140, 141, 242, 246, 254, 257, 261, 262, 262 XP, 336, 339 XP, 340, 345, 346, 350, 351, 353, 357 XP, 359																	
33 13	.325	1.3 .050	56	-	-	23 RM3 56	-	23 RD3 56	-	-	23 RM 56	-	-	-	23 RS 56	-	-
38 15	.325	1.3 .050	64	-	-	23 RM3 64	-	23 RD3 64	-	-	23 RM 64	-	-	-	23 RS 64	-	-
40 16	.325	1.3 .050	66	-	-	23 RM3 66	-	23 RD3 66	-	-	23 RM 66	-	-	-	23 RS 66	-	-
45 18	.325	1.3 .050	72	-	-	23 RM3 72	-	23 RD3 72	-	-	23 RM 72	-	-	-	23 RS 72	-	-
50 20	.325	1.3 .050	78	-	-	23 RM3 78	-	23 RD3 78	-	-	23 RM 78	-	-	-	23 RS 78	-	-
36, 41, 136, 141, 243																	
33 13	.325	1.3 .050	56	-	-	23 RM3 56	-	23 RD3 56	-	-	23 RM 56	-	-	-	23 RS 56	-	-
38 15	.325	1.3 .050	64	-	-	23 RM3 64	-	23 RD3 64	-	-	23 RM 64	-	-	-	23 RS 64	-	-
		1.5 .058	66	-	-	23 RM3 66	-	23 RD3 66	-	-	23 RM 66	-	-	-	23 RS 66	-	-
40 16	.325	1.5 .058	66	-	-	25 RM3 66	-	25 RD3 66	-	-	25 RM 66	-	-	-	25 RS 66	-	-
		1.3 .050	72	-	-	23 RM3 72	-	23 RD3 72	-	-	23 RM 72	-	-	-	23 RS 72	-	-
45 18	.325	1.5 .058	72	-	-	25 RM3 72	-	25 RD3 72	-	-	25 RM 72	-	-	-	25 RS 72	-	-
		1.3 .050	78	-	-	23 RM3 78	-	23 RD3 78	-	-	23 RM 78	-	-	-	23 RS 78	-	-
55 Rancher, 257, 261, 357 XP, 357 XPG, 359, 455																	
40 16	3/8"	1.3 .050	60	-	-	33 RM3 60	33 RS3 60	33 RD3 60	-	-	33 RM 60	-	-	-	33 RS 60	33 RSF 60	33 RSK 60
45 18	3/8"	1.3 .050	68	-	-	33 RM3 68	33 RS3 68	33 RD3 68	-	-	33 RM 68	-	-	-	33 RS 68	33 RSF 68	33 RSK 68
50 20	3/8"	1.3 .050	72	-	-	33 RM3 72	33 RS3 72	33 RD3 72	-	-	33 RM 72	-	-	-	33 RS 72	33 RSF 72	33 RSK 72
60 24	3/8"	1.3 .050	84	-	-	33 RM3 84	33 RS3 84	33 RD3 84	-	-	33 RM 84	-	-	-	33 RS 84	33 RSF 84	33 RSK 84






61, 160, 162, 260				STIHL PICCO Micro 3	STIHL PICCO Duro 3	STIHL RAPID Micro 3	STIHL RAPID Super 3	STIHL RAPID Duro 3	STIHL PICCO Micro	STIHL PICCO Super	STIHL RAPID Micro	STIHL RAPID Micro F	STIHL RAPID Micro H	STIHL RAPID Micro K	STIHL RAPID Super	STIHL RAPID Super F	STIHL RAPID Super K
33 13	3/8"	1.5 .058	52	-	-	-	-	-	-	-	35 RM 52	-	-	-	35 RS 52	-	-
38 15	3/8"	1.5 .058	56	-	-	-	-	-	-	-	35 RM 56	-	-	-	35 RS 56	-	-
40 16	3/8"	1.3 .050	60	-	-	33 RM3 60	33 RS3 60	33 RD3 60	-	-	33 RM 60	-	-	-	33 RS 60	33 RSF 60	33 RSK 60
		1.5 .058	60	-	-	-	-	-	-	-	35 RM 60	-	-	-	35 RS 60	-	-
45 18	3/8"	1.3 .050	68	-	-	33 RM3 68	33 RS3 68	33 RD3 68	-	-	33 RM 68	-	-	-	33 RS 68	33 RSF 68	33 RSK 68
		1.5 .058	68	-	-	-	-	-	-	-	35 RM 68	-	-	-	35 RS 68	-	-
50 20	3/8"	1.3 .050	72	-	-	33 RM3 72	33 RS3 72	33 RD3 72	-	-	33 RM 72	-	-	-	33 RS 72	33 RSF 72	33 RSK 72
		1.5 .058	72	-	-	-	-	-	-	-	35 RM 72	-	-	-	35 RS 72	-	-
		1.6 .063	72	-	-	-	-	-	-	-	36 RM 72	-	-	-	36 RS 72	-	-
56 22	3/8"	1.3 .050	76	-	-	33 RM3 76	33 RS3 76	33 RD3 76	-	-	33 RM 76	-	-	-	33 RS 76	33 RSF 76	33 RSK 76
		1.5 .058	84	-	-	33 RM3 84	33 RS3 84	33 RD3 84	-	-	33 RM 84	-	-	-	33 RS 84	33 RSF 84	33 RSK 84
60 24	3/8"	1.5 .058	84	-	-	-	-	-	-	-	35 RM 84	-	-	-	35 RS 84	-	-
		1.6 .063	84	-	-	-	-	-	-	-	36 RM 84	-	-	-	36 RS 84	-	-
		1.3 .050	93	-	-	33 RM3 93	33 RS3 93	33 RD3 93	-	-	33 RM 93	-	-	-	33 RS 93	33 RSF 93	33 RSK 93
71 28	3/8"	1.5 .058	92	-	-	-	-	-	-	-	35 RM 92	-	-	-	35 RS 92	-	-

L Series, 65, 66, 70, 77, 181, 185, 266, 268, 272, 281, 285, 288, 288 XP Lite, 298, 365, 371, 372, 372 XP, 372 XPG, 372 XPW, 380, 385, 385 XP, 385 XPG, 385 XPW, 394, 394 XP, 395, 395 XP, 395 XPG, 395 XPW, 480, 570, 575 XP, 1100, 2100, 2101, 3120, 3120 XP, Jungle 3120

33 13	3/8"	1.3 .050	52	-	-	-	-	-	-	-	35 RM 52	-	-	-	35 RS 52	-	-
38 15	3/8"	1.3 .050	56	-	-	-	-	-	-	-	35 RM 56	-	-	-	35 RS 56	-	-
40 16	3/8"	1.3 .050	60	-	-	33 RM3 60	33 RS3 60	33 RD3 60	-	-	33 RM 60	-	-	-	33 RS 60	33 RSF 60	33 RSK 60
		1.5 .058	60	-	-	-	-	-	-	-	35 RM 60	-	-	-	35 RS 60	-	-
45 18	3/8"	1.3 .050	68	-	-	33 RM3 68	33 RS3 68	33 RD3 68	-	-	33 RM 68	-	-	-	33 RS 68	33 RSF 68	33 RSK 68
		1.5 .058	68	-	-	-	-	-	-	-	35 RM 68	-	-	-	35 RS 68	-	-
50 20	.404	1.6 .063	65	-	-	-	-	-	-	-	46 RM 65	46 RMF 65	46 RMH 65	46 RMK 65	46 RS 65	46 RSF 65	-
		1.3 .050	72	-	-	33 RM3 72	33 RS3 72	33 RD3 72	-	-	33 RM 72	-	-	-	33 RS 72	33 RSF 72	33 RSK 72
		1.5 .058	72	-	-	-	-	-	-	-	35 RM 72	-	-	-	35 RS 72	-	-
		1.6 .063	72	-	-	36 RM3 72	36 RS3 72	36 RD3 72	-	-	36 RM 72	-	-	-	36 RS 72	-	-
56 22	3/8"	1.3 .050	76	-	-	33 RM3 76	33 RS3 76	33 RD3 76	-	-	33 RM 76	-	-	-	33 RS 76	33 RSF 76	33 RSK 76
		1.5 .058	84	-	-	33 RM3 84	33 RS3 84	33 RD3 84	-	-	33 RM 84	-	-	-	33 RS 84	33 RSF 84	33 RSK 84
60 24	3/8"	1.5 .058	84	-	-	-	-	-	-	-	35 RM 84	-	-	-	35 RS 84	-	-
		1.6 .063	84	-	-	36 RM3 84	36 RS3 84	36 RD3 84	-	-	36 RM 84	-	-	-	36 RS 84	-	-
		1.3 .050	93	-	-	33 RM3 93	33 RS3 93	33 RD3 93	-	-	33 RM 93	-	-	-	33 RS 93	33 RSF 93	33 RSK 93
71 28	3/8"	1.5 .058	93	-	-	-	-	-	-	-	35 RM 93	-	-	-	35 RS 93	-	-
		1.6 .063	93	-	-	36 RM3 93	36 RS3 93	36 RD3 93	-	-	36 RM 93	-	-	-	36 RS 93	-	-
		1.6 .063	92	-	-	-	-	-	-	-	46 RM 92	46 RMF 92	46 RMH 92	46 RMK 92	46 RS 92	46 RSF 92	-
76 30	.404	1.3 .050	98	-	-	33 RM3 98	33 RS3 98	33 RD3 98	-	-	33 RM 98	-	-	-	33 RS 98	33 RSF 98	33 RSK 98
		1.6 .063	98	-	-	36 RM3 98	36 RS3 98	36 RD3 98	-	-	36 RM 98	-	-	-	36 RS 98	-	-
		1.6 .063	95	-	-	-	-	-	-	-	46 RM 95	46 RMF 95	46 RMH 95	46 RMK 95	46 RS 95	46 RSF 95	-
81 32	3/8"	1.3 .050	105	-	-	33 RM3 105	33 RS3 105	33 RD3 105	-	-	33 RM 105	-	-	-	33 RS 105	33 RSF 105	33 RSK 105
		1.6 .063	105	-	-	36 RM3 105	36 RS3 105	36 RD3 105	-	-	36 RM 105	-	-	-	36 RS 105	-	-
84 33	3/8"	1.5 .058	110	-	-	-	-	-	-	-	35 RM 110	-	-	-	35 RS 110	-	-
86 34	3/8"	1.6 .063	110	-	-	36 RM3 110	36 RS3 110	36 RD3 110	-	-	36 RM 110	-	-	-	36 RS 110	-	-
91 36	.404	1.6 .063	104	-	-	-	-	-	-	-	46 RM 104	46 RMF 104	46 RMH 104	46 RMK 104	46 RS 104	46 RSF 104	-
		1.6 .063	115	-	-	36 RM3 115	36 RS3 115	36 RD3 115	-	-	36 RM 115	-	-	-	36 RS 115	-	-
94 37	3/8"	1.5 .058	119	-	-	-	-	-	-	-	35 RM 119	-	-	-	35 RS 119	-	-
		1.6 .063	119	-	-	36 RM3 119	36 RS3 119	36 RD3 119	-	-	36 RM 119	-	-	-	36 RS 119	-	-
107 42	3/8"	1.6 .063	135	-	-	36 RM3 135	36 RS3 135	36 RD3 135	-	-	36 RM 135	-	-	-	36 RS 135	-	-

																
				STIHL PICCO Micro Mini 3	STIHL PICCO Micro 3	STIHL PICCO Duro 3	STIHL RAPID Micro 3	STIHL RAPID Super 3	STIHL RAPID Duro 3	STIHL PICCO Micro	STIHL PICCO Super	STIHL RAPID Micro	STIHL RAPID Super	STIHL RAPID Super F	STIHL RAPID Super K	
25 EV, 28, 28 V, 30, 30 V, 35 EV, 40 V, 200 CS, 230 CS, CS 36, CS 40, CS 40 V																
25 10	3/8" P	1.1 .043	40	61 PM3 40	-	-	-	-	-	-	-	-	-	-	-	
30 12	3/8" P	1.1 .043	45	61 PM3 45	-	-	-	-	-	-	-	-	-	-	-	
		45	-	63 PM3 45	63 PD3 45	-	63 PS3 45	-	63 PM 45	63 PS 45	-	-	-	-	-	
		1.3 .050	47	-	63 PM3 47	63 PD3 47	-	63 PS3 47	-	63 PM 47	63 PS 47	-	-	-	-	-
		48	-	63 PM3 48	63 PD3 48	-	63 PS3 48	-	63 PM 48	63 PS 48	-	-	-	-	-	-
35 14	3/8" P	1.1 .043	52	61 PM3 52	-	-	-	-	-	-	-	-	-	-	-	
		1.3 .050	52	-	63 PM3 52	63 PD3 52	-	63 PS3 52	-	63 PM 52	63 PS 52	-	-	-	-	-
40 16	3/8" P	1.1 .043	56	61 PM3 56	-	-	-	-	-	-	-	-	-	-	-	
		56	-	63 PM3 56	63 PD3 56	-	63 PS3 56	-	63 PM 56	63 PS 56	-	-	-	-	-	-
		1.3 .050	58	-	63 PM3 58	63 PD3 58	-	63 PS3 58	-	63 PM 58	63 PS 58	-	-	-	-	-
45 18	3/8" P	1.3 .050	62	-	63 PM3 62	63 PD3 62	-	63 PS3 62	-	63 PM 62	63 PS 62	-	-	-	-	
		64	-	63 PM3 64	63 PD3 64	-	63 PS3 64	-	63 PM 64	63 PS 64	-	-	-	-	-	-
45 EV, 46 EV, 300 CS, 450 V																
35 14	.325	1.3 .050	59	-	-	-	23 RM3 59	-	23 RD3 59	-	-	23 RM 59	23 RS 59	-	-	
40 16	.325	1.3 .050	66	-	-	-	23 RM3 66	-	23 RD3 66	-	-	23 RM 66	23 RS 66	-	-	
45 18	.325	1.3 .050	72	-	-	-	23 RM3 72	-	23 RD3 72	-	-	23 RM 72	23 RS 72	-	-	
50 20	.325	1.3 .050	78	-	-	-	23 RM3 78	-	23 RD3 78	-	-	23 RM 78	23 RS 78	-	-	
50 AV, 50 V, 51 SV, 55 SV, 55 V, 60 V																
40 16	3/8" P	1.3 .050	60	-	-	-	33 RM3 60	33 RS3 60	33 RD3 60	-	-	33 RM 60	33 RS 60	33 RSF 60	33 RSK 60	
			64	-	-	-	33 RM3 64	33 RS3 64	33 RD3 64	-	-	33 RM 64	33 RS 64	33 RSF 64	33 RSK 64	
45 18	3/8" P	1.3 .050	66	-	-	-	33 RM3 66	33 RS3 66	33 RD3 66	-	-	33 RM 66	33 RS 66	33 RSF 66	33 RSK 66	
			70	-	-	-	33 RM3 70	33 RS3 70	33 RD3 70	-	-	33 RM 70	33 RS 70	33 RSF 70	33 RSK 70	
60 24	3/8" P	1.3 .050	81	-	-	-	33 RM3 81	33 RS3 81	33 RD3 81	-	-	33 RM 81	33 RS 81	33 RSF 81	33 RSK 81	
69 27	3/8" P	1.3 .050	93	-	-	-	33 RM3 93	33 RS3 93	33 RD3 93	-	-	33 RM 93	33 RS 93	33 RSF 93	33 RSK 93	
65, 65 SV, 66 SV, 70 V, 80 EV, 800 V																
40 16	3/8" P	1.3 .050	60	-	-	-	33 RM3 60	33 RS3 60	33 RD3 60	-	-	33 RM 60	33 RS 60	33 RSF 60	33 RSK 60	
			64	-	-	-	33 RM3 64	33 RS3 64	33 RD3 64	-	-	33 RM 64	33 RS 64	33 RSF 64	33 RSK 64	
45 18	3/8" P	1.3 .050	66	-	-	-	33 RM3 66	33 RS3 66	33 RD3 66	-	-	33 RM 66	33 RS 66	33 RSF 66	33 RSK 66	
			70	-	-	-	33 RM3 70	33 RS3 70	33 RD3 70	-	-	33 RM 70	33 RS 70	33 RSF 70	33 RSK 70	
60 24	3/8" P	1.3 .050	81	-	-	-	33 RM3 81	33 RS3 81	33 RD3 81	-	-	33 RM 81	33 RS 81	33 RSF 81	33 RSK 81	
69 27	3/8" P	1.3 .050	93	-	-	-	33 RM3 93	33 RS3 93	33 RD3 93	-	-	33 RM 93	33 RS 93	33 RSF 93	33 RSK 93	
CS 46, CS 52																
40 16	.325	1.3 .050	66	-	-	-	23 RM3 66	-	23 RD3 66	-	-	23 RM 66	23 RS 66	-	-	
			67	-	-	-	23 RM3 67	-	23 RD3 67	-	-	23 RM 67	23 RS 67	-	-	
45 18	.325	1.3 .050	72	-	-	-	23 RM3 72	-	23 RD3 72	-	-	23 RM 72	23 RS 72	-	-	
CS 56, CS 62																
40 16	.325	1.3 .050	66	-	-	-	23 RM3 66	-	23 RD3 66	-	-	23 RM 66	23 RS 66	-	-	
			67	-	-	-	23 RM3 67	-	23 RD3 67	-	-	23 RM 67	23 RS 67	-	-	
45 18	.325	1.3 .050	72	-	-	-	23 RM3 72	-	23 RD3 72	-	-	23 RM 72	23 RS 72	-	-	
50 20	.325	1.3 .050	78	-	-	-	23 RM3 78	-	23 RD3 78	-	-	23 RM 78	23 RS 78	-	-	
CS 62																
40 16	3/8" P	1.3 .050	60	-	-	-	33 RM3 60	33 RS3 60	33 RD3 60	-	-	33 RM 60	33 RS 60	33 RSF 60	33 RSK 60	
45 18	3/8" P	1.3 .050	64	-	-	-	33 RM3 64	33 RS3 64	33 RD3 64	-	-	33 RM 64	33 RS 64	33 RSF 64	33 RSK 64	
			70	-	-	-	33 RM3 70	33 RS3 70	33 RD3 70	-	-	33 RM 70	33 RS 70	33 RSF 70	33 RSK 70	
50 20	3/8" P	1.3 .050	72	-	-	-	33 RM3 72	33 RS3 72	33 RD3 72	-	-	33 RM 72	33 RS 72	33 RSF 72	33 RSK 72	
			80	-	-	-	33 RM3 80	33 RS3 80	33 RD3 80	-	-	33 RM 80	33 RS 80	33 RSF 80	33 RSK 80	
60 24	3/8" P	1.3 .050	84	-	-	-	33 RM3 84	33 RS3 84	33 RD3 84	-	-	33 RM 84	33 RS 84	33 RSF 84	33 RSK 84	

															
				STIHL PICCO Micro Mini 3	STIHL PICCO Micro 3	STIHL PICCO Duro 3	STIHL RAPID Micro 3	STIHL RAPID Super 3	STIHL RAPID Duro 3	STIHL PICCO Micro	STIHL PICCO Super	STIHL RAPID Micro	STIHL RAPID Super	STIHL RAPID Super F	STIHL RAPID Super K
cm in.		mm in.													
CS 71, CS 81															
40 16	3/8"	1.3 .050	60	-	-	-	33 RM3 60	33 RS3 60	33 RD3 60	-	-	33 RM 60	33 RS 60	33 RSF 60	33 RSK 60
			64	-	-	-	33 RM3 64	33 RS3 64	33 RD3 64	-	-	33 RM 64	33 RS 64	33 RSF 64	33 RSK 64
45 18	3/8"	1.3 .050	66	-	-	-	33 RM3 66	33 RS3 66	33 RD3 66	-	-	33 RM 66	33 RS 66	33 RSF 66	33 RSK 66
			67	-	-	-	33 RM3 67	33 RS3 67	33 RD3 67	-	-	33 RM 67	33 RS 67	33 RSF 67	33 RSK 67
50 20	3/8"	1.3 .050	70	-	-	-	33 RM3 70	33 RS3 70	33 RD3 70	-	-	33 RM 70	33 RS 70	33 RSF 70	33 RSK 70
			72	-	-	-	33 RM3 72	33 RS3 72	33 RD3 72	-	-	33 RM 72	33 RS 72	33 RSF 72	33 RSK 72
53 21	3/8"	1.6 .063	72	-	-	-	36 RM3 72	36 RS3 72	36 RD3 72	-	-	36 RM 72	36 RS 72	-	-
			81	-	-	-	33 RM3 84	33 RS3 84	33 RD3 84	-	-	33 RM 84	33 RS 84	33 RSF 84	33 RSK 84
60 24	3/8"	1.3 .050	83	-	-	-	33 RM3 83	33 RS3 83	33 RD3 83	-	-	33 RM 83	33 RS 83	33 RSF 83	33 RSK 83
			93	-	-	-	33 RM3 93	33 RS3 93	33 RD3 93	-	-	33 RM 93	33 RS 93	33 RSF 93	33 RSK 93
71 28	3/8"	1.3 .050	94	-	-	-	33 RM3 94	33 RS3 94	33 RD3 94	-	-	33 RM 94	33 RS 94	33 RSF 94	33 RSK 94
PS 2383, PS 2683, PSA 10															
25 10	3/8" P	1.1 .043	40	61 PM3 40	-	-	-	-	-	-	-	-	-	-	-



			STIHL PICCO Micro 3	STIHL PICCO Duro 3	STIHL RAPID Micro 3	STIHL RAPID Super 3	STIHL RAPID Duro 3	STIHL PICCO Micro	STIHL PICCO Super	STIHL RAPID Micro	STIHL RAPID Micro H	STIHL RAPID Micro K	STIHL RAPID Super	STIHL RAPID Super F	STIHL RAPID Super K
--	--	--	------------------------	-----------------------	------------------------	------------------------	-----------------------	----------------------	----------------------	----------------------	------------------------	------------------------	----------------------	------------------------	------------------------

60, 61, 62, 621, 2350

40 16	3/8"	1.3 .050	60	-	-	33 RM3 60	33 RS3 60	33 RD3 60	-	-	33 RM 60	-	-	33 RS 60	33 RSF 60	33 RSK 60
		1.5 .058	60	-	-	-	-	-	-	-	35 RM 60	-	-	35 RS 60	-	-
45 18	3/8"	1.3 .050	64	-	-	33 RM3 64	33 RS3 64	33 RD3 64	-	-	33 RM 64	-	-	33 RS 64	33 RSF 64	33 RSK 64
		1.5 .058	68	-	-	33 RM3 66	33 RS3 66	33 RD3 66	-	-	33 RM 66	-	-	33 RS 66	33 RSF 66	33 RSK 66
50 20	3/8"	1.3 .050	70	-	-	33 RM3 70	33 RS3 70	33 RD3 70	-	-	33 RM 70	-	-	33 RS 70	33 RSF 70	33 RSK 70
		1.5 .058	72	-	-	-	-	-	-	-	35 RM 72	-	-	35 RS 72	-	-
53 21	3/8"	1.6 .063	79	-	-	36 RM3 79	36 RS3 79	36 RD3 79	-	-	36 RM 79	-	-	36 RS 79	-	-
60 24	3/8"	1.3 .050	81	-	-	33 RM3 81	33 RS3 81	33 RD3 81	-	-	33 RM 81	-	-	33 RS 81	33 RSF 81	33 RSK 81
69 27	3/8"	1.3 .050	93	-	-	33 RM3 93	33 RS3 93	33 RD3 93	-	-	33 RM 93	-	-	33 RS 93	33 RSF 93	33 RSK 93

625, 630, 630 Super, 630 West Coast, 2065, 2071, 2077, 2163, 2165, 2171, CS 2163, CS 2163 WH, CS 2165, CS 2171, CS 2171 WH, CS 2186 WH

33 13	3/8"	1.5 .058	52	-	-	-	-	-	-	-	35 RM 52	-	-	35 RS 52	-	-
38 15	3/8"	1.5 .058	56	-	-	-	-	-	-	-	35 RM 56	-	-	35 RS 56	-	-
40 16	3/8"	1.3 .050	60	-	-	33 RM3 60	33 RS3 60	33 RD3 60	-	-	33 RM 60	-	-	33 RS 60	33 RSF 60	33 RSK 60
		1.5 .058	60	-	-	-	-	-	-	-	35 RM 60	-	-	35 RS 60	-	-
45 18	3/8"	1.3 .050	68	-	-	33 RM3 68	33 RS3 68	33 RD3 68	-	-	33 RM 68	-	-	33 RS 68	33 RSF 68	33 RSK 68
		1.5 .058	68	-	-	-	-	-	-	-	35 RM 68	-	-	35 RS 68	-	-
50 20	3/8"	1.3 .050	72	-	-	33 RM3 72	33 RS3 72	33 RD3 72	-	-	33 RM 72	-	-	33 RS 72	33 RSF 72	33 RSK 72
		1.5 .058	72	-	-	-	-	-	-	-	35 RM 72	-	-	35 RS 72	-	-
56 22	3/8"	1.3 .050	76	-	-	33 RM3 76	33 RS3 76	33 RD3 76	-	-	33 RM 76	-	-	33 RS 76	33 RSF 76	33 RSK 76
60 24	3/8"	1.3 .050	84	-	-	33 RM3 84	33 RS3 84	33 RD3 84	-	-	33 RM 84	-	-	33 RS 84	33 RSF 84	33 RSK 84
		1.5 .058	84	-	-	-	-	-	-	-	35 RM 84	-	-	35 RS 84	-	-
71 28	3/8"	1.3 .050	93	-	-	33 RM3 93	33 RS3 93	33 RD3 93	-	-	33 RM 93	-	-	33 RS 93	33 RSF 93	33 RSK 93
		1.5 .058	93	-	-	-	-	-	-	-	35 RM 93	-	-	35 RS 93	-	-

66, 70, 75, 77, 80, 81, 90, 110, 111, 490, 601, 751, 801, 820, 830, 910, 920, 930, 939, 1020

91 36	.404	1.6 .063	106	-	-	-	-	-	-	-	46 RM 106	46 RMH 106	46 RMK 106	46 RS 106	46 RSF 106	-
---------	------	------------	-----	---	---	---	---	---	---	---	-----------	------------	------------	-----------	------------	---







66, 70, 75, 77, 80, 81, 90, 110, 111, 601, 751, 801, 820, 830, 910, 920, 930, 939, 941, 1020


40 16	3/8"	1.3 .050	60	-	-	33 RM3 60	33 RS3 60	33 RD3 60	-	-	33 RM 60	-	-	33 RS 60	33 RSF 60	33 RSK 60
		1.5 .058	60	-	-	-	-	-	-	-	35 RM 60	-	-	35 RS 60	-	-
45 18	3/8"	1.3 .050	64	-	-	33 RM3 64	33 RS3 64	33 RD3 64	-	-	33 RM 64	-	-	33 RS 64	33 RSF 64	33 RSK 64
		1.5 .058	68	-	-	33 RM3 66	33 RS3 66	33 RD3 66	-	-	33 RM 66	-	-	33 RS 66	33 RSF 66	33 RSK 66
50 20	3/8"	1.3 .050	70	-	-	33 RM3 70	33 RS3 70	33 RD3 70	-	-	33 RM 70	-	-	33 RS 70	33 RSF 70	33 RSK 70
		1.5 .058	72	-	-	-	-	-	-	-	35 RM 72	-	-	35 RS 72	-	-
53 21	3/8"	1.6 .063	79	-	-	36 RM3 79	36 RS3 79	36 RD3 79	-	-	36 RM 79	-	-	36 RS 79	-	-
60 24	3/8"	1.3 .050	81	-	-	33 RM3 81	33 RS3 81	33 RD3 81	-	-	33 RM 81	-	-	33 RS 81	33 RSF 81	33 RSK 81
69 27	3/8"	1.3 .050	93	-	-	33 RM3 93	33 RS3 93	33 RD3 93	-	-	33 RM 93	-	-	33 RS 93	33 RSF 93	33 RSK 93
81 32	3/8"	1.6 .063	105	-	-	36 RM3 105	36 RS3 105	36 RD3 105	-	-	36 RM 105	-	-	36 RS 105	-	-
91 36	3/8"	1.6 .063	117	-	-	36 RM3 117	36 RS3 117	36 RD3 117	-	-	36 RM 117	-	-	36 RS 117	-	-




670, 670 West Coast, 2065, 2071, 2077, 2083, 2083 II, 2094, 2095

33 13	3/8"	1.3 .050	52	-	-	-	-	-	-	-	35 RM 52	-	-	35 RS 52	-	-
38 15	3/8"	1.3 .050	56	-	-	-	-	-	-	-	35 RM 56	-	-	35 RS 56	-	-
40 16	3/8"	1.3 .050	60	-	-	33 RM3 60	33 RS3 60	33 RD3 60	-	-	33 RM 60	-	-	33 RS 60	33 RSF 60	33 RSK 60
		1.5 .058	60	-	-	-	-	-	-	-	35 RM 60	-	-	35 RS 60	-	-
45 18	3/8"	1.3 .050	68	-	-	33 RM3 68	33 RS3 68	33 RD3 68	-	-	33 RM 68	-	-	33 RS 68	33 RSF 68	33 RSK 68
		1.5 .058	68	-	-	-	-	-	-	-	35 RM 68	-	-	35 RS 68	-	-
50 20	3/8"	1.3 .050	72	-	-	33 RM3 72	33 RS3 72	33 RD3 72	-	-	33 RM 72	-	-	33 RS 72	33 RSF 72	33 RSK 72
		1.5 .058	72	-	-	-	-	-	-	-	35 RM 72	-	-	35 RS 72	-	-
56 22	3/8"	1.6 .063	72	-	-	36 RM3 72	36 RS3 72	36 RD3 72	-	-	36 RM 72	-	-	36 RS 72	-	-
		1.3 .050	76	-	-	33 RM3 76	33 RS3 76	33 RD3 76	-	-	33 RM 76	-	-	33 RS 76	33 RSF 76	33 RSK 76





JONSERED

																			
																			
		cm in.	mm in.			STIHL PICCO Micro 3	STIHL PICCO Duro 3	STIHL RAPID Micro 3	STIHL RAPID Super 3	STIHL RAPID Duro 3	STIHL PICCO Micro	STIHL PICCO Super	STIHL RAPID Micro	STIHL RAPID Micro H	STIHL RAPID Micro K	STIHL RAPID Super	STIHL RAPID Super F	STIHL RAPID Super K	
60 24	3/8"	1.3 .050	84	-	-	33 RM3 84	-	33 RS3 84	33 RD3 84	-	-	-	33 RM 84	-	-	33 RS 84	33 RSF 84	33 RSK 84	
		1.5 .058	84	-	-	-	-	-	-	-	-	-	35 RM 84	-	-	35 RS 84	-	-	
	3/8"	1.6 .063	84	-	-	36 RM3 84	-	36 RS3 84	36 RD3 84	-	-	-	36 RM 84	-	-	36 RS 84	-	-	
		1.3 .050	93	-	-	33 RM3 93	-	33 RS3 93	33 RD3 93	-	-	-	33 RM 93	-	-	33 RS 93	33 RSF 93	33 RSK 93	
71 28	3/8"	1.5 .058	93	-	-	-	-	-	-	-	-	-	35 RM 93	-	-	35 RS 93	-	-	
		1.6 .063	93	-	-	36 RM3 93	-	36 RS3 93	36 RD3 93	-	-	-	36 RM 93	-	-	36 RS 93	-	-	
76 30	3/8"	1.3 .050	98	-	-	33 RM3 98	-	33 RS3 98	33 RD3 98	-	-	-	33 RM 98	-	-	33 RS 98	33 RSF 98	33 RSK 98	
		1.6 .063	98	-	-	36 RM3 98	-	36 RS3 98	36 RD3 98	-	-	-	36 RM 98	-	-	36 RS 98	-	-	
81 32	3/8"	1.3 .050	105	-	-	33 RM3 105	-	33 RS3 105	33 RD3 105	-	-	-	33 RM 105	-	-	33 RS 105	33 RSF 105	33 RSK 105	
		1.6 .063	105	-	-	36 RM3 105	-	36 RS3 105	36 RD3 105	-	-	-	36 RM 105	-	-	36 RS 105	-	-	
84 33	3/8"	1.5 .058	110	-	-	-	-	-	-	-	-	-	35 RM 110	-	-	35 RS 110	-	-	
86 34	3/8"	1.6 .063	110	-	-	36 RM3 110	-	36 RS3 110	36 RD3 110	-	-	-	36 RM 110	-	-	36 RS 110	-	-	
91 36	3/8"	1.6 .063	115	-	-	36 RM3 115	-	36 RS3 115	36 RD3 115	-	-	-	36 RM 115	-	-	36 RS 115	-	-	
94 37	3/8"	1.5 .058	119	-	-	-	-	-	-	-	-	-	35 RM 119	-	-	35 RS 119	-	-	
		1.6 .063	119	-	-	36 RM3 119	-	36 RS3 119	36 RD3 119	-	-	-	36 RM 119	-	-	36 RS 119	-	-	
107 42	3/8"	1.6 .063	135	-	-	36 RM3 135	-	36 RS3 135	36 RD3 135	-	-	-	36 RM 135	-	-	36 RS 135	-	-	
CS 62																			
33 13	.325	1.3 .050	56	-	-	23 RM3 56	-	23 RD3 56	-	-	-	-	23 RM 56	-	-	23 RS 56	-	-	
38 15	.325	1.3 .050	64	-	-	23 RM3 64	-	23 RD3 64	-	-	-	-	23 RM 64	-	-	23 RS 64	-	-	
40 16	.325	1.3 .050	66	-	-	23 RM3 66	-	23 RD3 66	-	-	-	-	23 RM 66	-	-	23 RS 66	-	-	
		1.5 .058	66	-	-	25 RM3 66	-	25 RD3 66	-	-	-	-	25 RM 66	-	-	25 RS 66	-	-	
45 18	.325	1.3 .050	72	-	-	23 RM3 72	-	23 RD3 72	-	-	-	-	23 RM 72	-	-	23 RS 72	-	-	
		1.5 .058	72	-	-	25 RM3 72	-	25 RD3 72	-	-	-	-	25 RM 72	-	-	25 RS 72	-	-	
50 20	.325	1.3 .050	78	-	-	23 RM3 78	-	23 RD3 78	-	-	-	-	23 RM 78	-	-	23 RS 78	-	-	



														
cm in.	mm in.		STIHL PICCO Micro 3	STIHL PICCO Duro 3	STIHL RAPID Micro 3	STIHL RAPID Super 3	STIHL RAPID Duro 3	STIHL PICCO Micro	STIHL PICCO Super	STIHL RAPID Micro	STIHL RAPID Super	STIHL RAPID Super F	STIHL RAPID Super K	
DCS 34, DCS 330 S, DCS 330 TH, DCS 340, DCS 341, DCS 390, DCS 390 S, DCS 400, DCS 401, 5012 B, 5014 NB, 5016 NB, UC 3500, UC 4000														
30 12	3/8" P	1.3 .050	45	63 PM3 45	63 PD3 45	-	63 PS3 45	-	63 PM 45	63 PS 45	-	-	-	-
			47	63 PM3 47	63 PD3 47	-	63 PS3 47	-	63 PM 47	63 PS 47	-	-	-	-
35 14	3/8" P	1.3 .050	52	63 PM3 52	63 PD3 52	-	63 PS3 52	-	63 PM 52	63 PS 52	-	-	-	-
			56	63 PM3 56	63 PD3 56	-	63 PS3 56	-	63 PM 56	63 PS 56	-	-	-	-
40 16	3/8" P	1.3 .050	58	63 PM3 58	63 PD3 58	-	63 PS3 58	-	63 PM 58	63 PS 58	-	-	-	-
			62	63 PM3 62	63 PD3 62	-	63 PS3 62	-	63 PM 62	63 PS 62	-	-	-	-
DCS 430, DCS 431, DCS 520 i, DCS 540, DCS 5200 i														
28 11	.325	1.5 .058	52	-	-	25 RM3 52	-	25 RD3 52	-	-	25 RM 52	25 RS 52	-	-
		1.3 .050	45	-	-	23 RM3 45	-	23 RD3 45	-	-	23 RM 45	23 RS 45	-	-
33 13	.325	1.5 .058	56	-	-	25 RM3 56	-	25 RD3 56	-	-	25 RM 56	25 RS 56	-	-
		1.3 .050	47	-	-	23 RM3 47	-	23 RD3 47	-	-	23 RM 47	23 RS 47	-	-
38 15	.325	1.5 .058	64	-	-	25 RM3 64	-	25 RD3 64	-	-	25 RM 64	25 RS 64	-	-
		1.3 .050	66	-	-	23 RM3 66	-	23 RD3 66	-	-	23 RM 66	23 RS 66	-	-
40 16	.325	1.5 .058	66	-	-	25 RM3 66	-	25 RD3 66	-	-	25 RM 66	25 RS 66	-	-
		1.3 .050	72	-	-	23 RM3 72	-	23 RD3 72	-	-	23 RM 72	23 RS 72	-	-
45 18	.325	1.5 .058	72	-	-	25 RM3 72	-	25 RD3 72	-	-	25 RM 72	25 RS 72	-	-
		1.3 .050	78	-	-	23 RM3 78	-	23 RD3 78	-	-	23 RM 78	23 RS 78	-	-
50 20	.325	1.5 .058	78	-	-	25 RM3 78	-	25 RD3 78	-	-	25 RM 78	25 RS 78	-	-
DCS 520 i, DCS 540, DCS 5200 i, DCS 6000 i														
40 16	3/8"	1.3 .050	59	-	-	33 RM3 59	33 RS3 59	33 RD3 59	-	-	33 RM 59	33 RS 59	33 RSF 59	33 RSK 59
			60	-	-	33 RM3 60	33 RS3 60	33 RD3 60	-	-	33 RM 60	33 RS 60	33 RSF 60	33 RSK 60
		1.5 .058	59	-	-	-	-	-	-	-	35 RM 59	35 RS 59	-	-
			60	-	-	-	-	-	-	-	35 RM 60	35 RS 60	-	-
45 18	3/8"	1.3 .050	64	-	-	33 RM3 64	33 RS3 64	33 RD3 64	-	-	33 RM 64	33 RS 64	33 RSF 64	33 RSK 64
		1.5 .058	64	-	-	-	-	-	-	-	35 RM 64	35 RS 64	-	-
50 20	3/8"	1.3 .050	70	-	-	33 RM3 70	33 RS3 70	33 RD3 70	-	-	33 RM 70	33 RS 70	33 RSF 70	33 RSK 70
		1.3 .050	72	-	-	33 RM3 72	33 RS3 72	33 RD3 72	-	-	33 RM 72	33 RS 72	33 RSF 72	33 RSK 72
58 23	3/8"	1.3 .050	81	-	-	33 RM3 81	33 RS3 81	33 RD3 81	-	-	33 RM 81	33 RS 81	33 RSF 81	33 RSK 81
DCS 6401, DCS 7301, DCS 7901, DCS 9000, DCS 9010 FL														
33 13	3/8"	3/8"	52	-	-	-	-	-	-	-	35 RM 52	35 RS 52	-	-
38 15	3/8"	3/8"	56	-	-	-	-	-	-	-	35 RM 56	35 RS 56	-	-
40 16	3/8"	1.3 .050	59	-	-	33 RM3 59	33 RS3 59	33 RD3 59	-	-	33 RM 59	33 RS 59	33 RSF 59	33 RSK 59
		1.5 .058	60	-	-	-	-	-	-	-	35 RM 60	35 RS 60	-	-
45 18	3/8"	1.3 .050	68	-	-	33 RM3 68	33 RS3 68	33 RD3 68	-	-	33 RM 68	33 RS 68	33 RSF 68	33 RSK 68
		1.5 .058	68	-	-	-	-	-	-	-	35 RM 68	35 RS 68	-	-
50 20	3/8"	1.3 .050	72	-	-	33 RM3 72	33 RS3 72	33 RD3 72	-	-	33 RM 72	33 RS 72	33 RSF 72	33 RSK 72
		1.5 .058	72	-	-	-	-	-	-	-	35 RM 72	35 RS 72	-	-
		1.6 .063	72	-	-	36 RM3 72	36 RS3 72	36 RD3 72	-	-	36 RM 72	36 RS 72	-	-
60 24	3/8"	1.3 .050	84	-	-	33 RM3 84	33 RS3 84	33 RD3 84	-	-	33 RM 84	33 RS 84	33 RSF 84	33 RSK 84
		1.5 .058	84	-	-	-	-	-	-	-	35 RM 84	35 RS 84	-	-
		1.6 .063	84	-	-	36 RM3 84	36 RS3 84	36 RD3 84	-	-	36 RM 84	36 RS 84	-	-
71 28	3/8"	1.3 .050	93	-	-	33 RM3 93	33 RS3 93	33 RD3 93	-	-	33 RM 93	33 RS 93	33 RSF 93	33 RSK 93
		1.5 .058	93	-	-	-	-	-	-	-	35 RM 93	35 RS 93	-	-
		1.6 .063	93	-	-	36 RM3 93	36 RS3 93	36 RD3 93	-	-	36 RM 93	36 RS 93	-	-
76 30	3/8"	1.3 .050	98	-	-	33 RM3 98	33 RS3 98	33 RD3 98	-	-	33 RM 98	33 RS 98	33 RSF 98	33 RSK 98
		1.6 .063	98	-	-	36 RM3 98	36 RS3 98	36 RD3 98	-	-	36 RM 98	36 RS 98	-	-

															
				STIHL PICCO Micro 3	STIHL PICCO Duro 3	STIHL RAPID Micro 3	STIHL RAPID Super 3	STIHL RAPID Duro 3	STIHL PICCO Micro	STIHL PICCO Super	STIHL RAPID Micro	STIHL RAPID Super	STIHL RAPID Super F	STIHL RAPID Super K	
cm in.		mm in.													
81 32	3/8"	1.3 .050	105	-	-	33 RM3 105	33 RS3 105	33 RD3 105	-	-	33 RM 105	33 RS 105	33 RSF 105	33 RSK 105	
		1.6 .063	105	-	-	36 RM3 105	36 RS3 105	36 RD3 105	-	-	36 RM 105	36 RS 105	-	-	
84 33	3/8"	1.5 .058	110	-	-	-	-	-	-	-	35 RM 110	35 RS 110	-	-	
86 34	3/8"	1.6 .063	110	-	-	36 RM3 110	36 RS3 110	36 RD3 110	-	-	36 RM 110	36 RS 110	-	-	
91 36	3/8"	1.6 .063	115	-	-	36 RM3 115	36 RS3 115	36 RD3 115	-	-	36 RM 115	36 RS 115	-	-	
94 37	3/8"	1.5 .058	119	-	-	-	-	-	-	-	35 RM 119	35 RS 119	-	-	
		1.6 .063	119	-	-	36 RM3 119	36 RS3 119	36 RD3 119	-	-	36 RM 119	36 RS 119	-	-	
107 42	3/8"	1.6 .063	135	-	-	36 RM3 135	36 RS3 135	36 RD3 135	-	-	36 RM 135	36 RS 135	-	-	
DCS 6800 i															
40 16	3/8"	1.3 .050	59	-	-	33 RM3 59	33 RS3 59	33 RD3 59	-	-	33 RM 59	33 RS 59	33 RSF 59	33 RSK 59	
			60	-	-	33 RM3 60	33 RS3 60	33 RD3 60	-	-	33 RM 60	33 RS 60	33 RSF 60	33 RSK 60	
		1.5 .058	59	-	-	-	-	-	-	-	-	35 RM 59	35 RS 59	-	-
			60	-	-	-	-	-	-	-	-	35 RM 60	35 RS 60	-	-
45 18	3/8"	1.3 .050	64	-	-	33 RM3 64	33 RS3 64	33 RD3 64	-	-	33 RM 64	33 RS 64	33 RSF 64	33 RSK 64	
		1.5 .058	64	-	-	-	-	-	-	-	35 RM 64	35 RS 64	-	-	
50 20	3/8"	1.3 .050	70	-	-	33 RM3 70	33 RS3 70	33 RD3 70	-	-	33 RM 70	33 RS 70	33 RSF 70	33 RSK 70	
		72	-	-	33 RM3 72	33 RS3 72	33 RD3 72	-	-	33 RM 72	33 RS 72	33 RSF 72	33 RSK 72		
58 23	3/8"	1.3 .050	81	-	-	33 RM3 81	33 RS3 81	33 RD3 81	-	-	33 RM 81	33 RS 81	33 RSF 81	33 RSK 81	
DCS 9000, DCS 9010 FL															
50 20	.404	1.6 .063	65	-	-	-	-	-	-	-	46 RM 65	46 RS 65	46 RSF 65	-	


MARUYAMA POLE SAWS


													
 cm in.	 mm in.	STIHL PICCO Micro 3	STIHL PICCO Super 3	STIHL PICCO Duro 3	STIHL RAPID Micro 3	STIHL RAPID Super 3	STIHL RAPID Duro 3	STIHL PICCO Micro	STIHL PICCO Super	STIHL RAPID Micro	STIHL RAPID Super		
MC-PL10, MC-S10													
25 10	$\frac{3}{8}$ " P	1.3 .050	40	63 PM3 40	-	63 PD3 40	-	63 PS3 40	-	63 PM 40	63 PS 40	-	-
28 11	.325	1.5 .058	52	-	-	-	25 RM3 52	-	25 RD3 52	-	-	25 RM 52	25 RS 52

STIHL		STIHL													
cm in.		mm in.		STIHL PICCO Micro 3	STIHL PICCO Duro 3	STIHL RAPID Micro 3	STIHL RAPID Super 3	STIHL RAPID Duro 3	STIHL PICCO Micro	STIHL PICCO Super	STIHL RAPID Micro	STIHL RAPID Super	STIHL RAPID Super F	STIHL RAPID Super K	
10 E, 12 E, 14 E, 16 E, MS 1425, MS 1630, MS 1640															
25 10	3/8" P	1.3 .050	39	63 PM3 39	63 PD3 39	-	63 PS3 39	-	63 PM 39	63 PS 39	-	-	-	-	
30 12	3/8" P	1.3 .050	45	63 PM3 45	63 PD3 45	-	63 PS3 45	-	63 PM 45	63 PS 45	-	-	-	-	
35 14	3/8" P	1.3 .050	50	63 PM3 50	63 PD3 50	-	63 PS3 50	-	63 PM 50	63 PS 50	-	-	-	-	
40 16	3/8" P	1.3 .050	55	63 PM3 55	63 PD3 55	-	63 PS3 55	-	63 PM 55	63 PS 55	-	-	-	-	
45 18	3/8" P	1.3 .050	60	63 PM3 60	63 PD3 60	-	63 PS3 60	-	63 PM 60	63 PS 60	-	-	-	-	
1-10, 2-10, 3-10, 4-10, 5-10, 6-10, 10-10, 10-10 A, 55, Pro Mac 55, 60, 555, 570, 605, CP-55, Double Eagle 50, Eager Beaver 3.7, PM 605, Pro Mac 5700, Silver Eagle 3420, Silver Eagle 3720, SP-60, Timber Bear, Timber Bear 20, Titan 50, Titan 57															
40 16	3/8" P	1.3 .050	60	-	-	33 RM3 60	33 RS3 60	33 RD3 60	-	-	33 RM 60	33 RS 60	33 RSF 60	33 RSK 60	
			64	-	-	33 RM3 64	33 RS3 64	33 RD3 64	-	-	33 RM 64	33 RS 64	33 RSF 64	33 RSK 64	
			66	-	-	33 RM3 66	33 RS3 66	33 RD3 66	-	-	33 RM 66	33 RS 66	33 RSF 66	33 RSK 66	
50 20	3/8" P	1.3 .050	70	-	-	33 RM3 70	33 RS3 70	33 RD3 70	-	-	33 RM 70	33 RS 70	33 RSF 70	33 RSK 70	
60 24	3/8" P	1.3 .050	81	-	-	33 RM3 81	33 RS3 81	33 RD3 81	-	-	33 RM 81	33 RS 81	33 RSF 81	33 RSK 81	
71 28	3/8" P	1.3 .050	92	-	-	33 RM3 92	33 RS3 92	33 RD3 92	-	-	33 RM 92	33 RS 92	33 RSF 92	33 RSK 92	
14 A/S, EM 16															
35 14	3/8" P	1.3 .050	49	63 PM3 49	63 PD3 49	-	63 PS3 49	-	63 PM 49	63 PS 49	-	-	-	-	
40 16	3/8" P	1.3 .050	54	63 PM3 54	63 PD3 54	-	63 PS3 54	-	63 PM 54	63 PS 54	-	-	-	-	
45 18	3/8" P	1.3 .050	60	63 PM3 60	63 PD3 60	-	63 PS3 60	-	63 PM 60	63 PS 60	-	-	-	-	
1849 AV, 2046 AV, 2049 AV, 4600, 4700, 4900, 5000, 5500, MS 1846 AV, MS 1849 AV, MS 1850, MS 2046 AV, MS 2046 AVCC, MS 2049, MS 2049 AV, MS 2049 AVCC, MS 2050, PM 1845 AV; Pro Mac: 40, 46; Silver Eagle: 2818, 3020															
40 16	.325	1.3 .050	66	-	-	23 RM3 66	-	23 RD3 66	-	-	23 RM 66	23 RS 66	-	-	
		1.5 .058	66	-	-	25 RM3 66	-	25 RD3 66	-	-	25 RM 66	25 RS 66	-	-	
45 18	.325	1.3 .050	72	-	-	23 RM3 72	-	23 RD3 72	-	-	23 RM 72	23 RS 72	-	-	
		1.5 .058	72	-	-	25 RM3 72	-	25 RD3 72	-	-	25 RM 72	25 RS 72	-	-	
50 20	.325	1.3 .050	78	-	-	23 RM3 78	-	23 RD3 78	-	-	23 RM 78	23 RS 78	-	-	
		1.5 .058	78	-	-	25 RM3 78	-	25 RD3 78	-	-	25 RM 78	25 RS 78	-	-	

															
				STIHL PICCO Micro 3	STIHL RAPID Micro 3	STIHL RAPID Super 3	STIHL RAPID Duro 3	STIHL PICCO Micro	STIHL PICCO Super	STIHL RAPID Micro	STIHL RAPID Micro H	STIHL RAPID Micro K	STIHL RAPID Super	STIHL RAPID Super F	STIHL RAPID Super K
cm in.	mm in.	mm in.	mm in.												
999															
53 21	.404	1.6 .063	68	-	-	-	-	-	-	46 RM 68	46 RMH 68	46 RMK 68	46 RS 68	46 RSF 68	-
25	.404	1.6 .063	80	-	-	-	-	-	-	46 RM 80	46 RMH 80	46 RMK 80	46 RS 80	46 RSF 80	-
240, 241, 244, 935, OLE 140 F, OLE 300															
35 14	3/8" P	1.3 .050	50	63 PM3 50	-	63 PS3 50	-	63 PM 50	63 PS 50	-	-	-	-	-	-
40 16	3/8" P	1.3 .050	55	63 PM3 55	-	63 PS3 55	-	63 PM 55	63 PS 55	-	-	-	-	-	-
250, 250 A, 251, 252, 254, 260, 261, 264, 355, 460 A Super															
40 16	3/8"	1.3 .050	60	-	33 RM3 60	33 RS3 60	33 RD3 60	-	-	33 RM 60	-	-	33 RS 60	33 RSF 60	33 RSK 60
		1.5 .058	60	-	-	-	-	-	-	35 RM 60	-	-	35 RS 60	-	-
45 18	3/8"	1.3 .050	64	-	33 RM3 64	33 RS3 64	33 RD3 64	-	-	33 RM 64	-	-	33 RS 64	33 RSF 64	33 RSK 64
		1.5 .058	68	-	-	-	-	-	-	35 RM 68	-	-	35 RS 68	-	-
50 20	3/8"	1.3 .050	70	-	33 RM3 70	33 RS3 70	33 RD3 70	-	-	33 RM 70	-	-	33 RS 70	33 RSF 70	33 RSK 70
		1.5 .058	72	-	33 RM3 72	33 RS3 72	33 RD3 72	-	-	33 RM 72	-	-	33 RS 72	33 RSF 72	33 RSK 72
53 21	3/8"	1.6 .063	79	-	36 RM3 79	36 RS3 79	36 RD3 79	-	-	36 RM 79	-	-	36 RS 79	-	-
58 23	3/8"	1.3 .050	81	-	33 RM3 81	33 RS3 81	33 RD3 81	-	-	33 RM 81	-	-	33 RS 81	33 RSF 81	33 RSK 81
71 28	3/8"	1.3 .050	93	-	33 RM3 93	33 RS3 93	33 RD3 93	-	-	33 RM 93	-	-	33 RS 93	33 RSF 93	33 RSK 93
481, 970, 980, Super 482															
40 16	3/8"	1.3 .050	60	-	33 RM3 60	33 RS3 60	33 RD3 60	-	-	33 RM 60	-	-	33 RS 60	33 RSF 60	33 RSK 60
		1.5 .058	60	-	-	-	-	-	-	35 RM 60	-	-	35 RS 60	-	-
45 18	3/8"	1.3 .050	64	-	33 RM3 64	33 RS3 64	33 RD3 64	-	-	33 RM 64	-	-	33 RS 64	33 RSF 64	33 RSK 64
		1.5 .058	68	-	-	-	-	-	-	35 RM 68	-	-	35 RS 68	-	-
50 20	3/8"	1.3 .050	70	-	33 RM3 70	33 RS3 70	33 RD3 70	-	-	33 RM 70	-	-	33 RS 70	33 RSF 70	33 RSK 70
		1.5 .058	72	-	33 RM3 72	33 RS3 72	33 RD3 72	-	-	33 RM 72	-	-	33 RS 72	33 RSF 72	33 RSK 72
53 21	3/8"	1.6 .063	72	-	36 RM3 72	36 RS3 72	36 RD3 72	-	-	36 RM 72	-	-	36 RS 72	-	-
58 23	3/8"	1.3 .050	81	-	33 RM3 81	33 RS3 81	33 RD3 81	-	-	33 RM 81	-	-	33 RS 81	33 RSF 81	33 RSK 81
71 28	3/8"	1.3 .050	93	-	33 RM3 93	33 RS3 93	33 RD3 93	-	-	33 RM 93	-	-	33 RS 93	33 RSF 93	33 RSK 93
938, 940 C, 941, 945, 950, 951, 956, 962															
40 16	.325	1.5 .058	66	-	25 RM3 66	-	25 RD3 66	-	-	25 RM 66	-	-	25 RS 66	-	-
45 18	.325	1.5 .058	72	-	25 RM3 72	-	25 RD3 72	-	-	25 RM 72	-	-	25 RS 72	-	-
50 20	.325	1.3 .050	78	-	23 RM3 78	-	23 RD3 78	-	-	23 RM 78	-	-	23 RS 78	-	-
		1.5 .058	78	-	25 RM3 78	-	25 RD3 78	-	-	25 RM 78	-	-	25 RS 78	-	-



PARTNER

				STIHL PICCO Micro 3	STIHL PICCO Duro 3	STIHL RAPID Micro 3	STIHL RAPID Super 3	STIHL RAPID Duro 3	STIHL PICCO Micro	STIHL PICCO Super	STIHL RAPID Micro	STIHL RAPID Super	STIHL RAPID Super F	STIHL RAPID Super K
cm in.	mm in.	mm in.	mm in.											
365														
35 14	3/8" P	1.3 .050	52	63 PM3 52	63 PD3 52	-	63 PS3 52	-	63 PM 52	63 PS 52	-	-	-	-
330, 350, 1601, 1602, 1610, 1611, 1612, 1613, 1614, 1616, Mini-P Series, Spartan														
30 12	3/8" P	1.3 .050	45	63 PM3 45	63 PD3 45	-	63 PS3 45	-	63 PM 45	63 PS 45	-	-	-	-
35 14	3/8" P	1.3 .050	52	63 PM3 52	63 PD3 52	-	63 PS3 52	-	63 PM 52	63 PS 52	-	-	-	-
40 16	3/8" P	1.3 .050	56	63 PM3 56	63 PD3 56	-	63 PS3 56	-	63 PM 56	63 PS 56	-	-	-	-
410, 510, 540														
33 13	.325	1.3 .050	56	-	-	23 RM3 56	-	23 RD3 56	-	-	23 RM 56	23 RS 56	-	-
38 15	.325	1.3 .050	64	-	-	23 RM3 64	-	23 RD3 64	-	-	23 RM 64	23 RS 64	-	-
550, 1655, 2055, P-55, R-11, R-12, R-14, R-16, R-17, R-18, R-19, S-50, S-55, S-65														
33 13	3/8"	1.5 .058	52	-	-	-	-	-	-	-	35 RM 52	35 RS 52	-	-
38 15	3/8"	1.5 .058	56	-	-	-	-	-	-	-	35 RM 56	35 RS 56	-	-
40 16	3/8"	1.3 .050	60	-	-	33 RM3 60	33 RS3 60	33 RD3 60	-	-	33 RM 60	33 RS 60	33 RSF 60	33 RSK 60
		1.5 .058	60	-	-	-	-	-	-	-	35 RM 60	35 RS 60	-	-
45 18	3/8"	1.3 .050	68	-	-	33 RM3 68	33 RS3 68	33 RD3 68	-	-	33 RM 68	33 RS 68	33 RSF 68	33 RSK 68
		1.5 .058	68	-	-	-	-	-	-	-	35 RM 68	35 RS 68	-	-
50 20	3/8"	1.3 .050	72	-	-	33 RM3 72	33 RS3 72	33 RD3 72	-	-	33 RM 72	33 RS 72	33 RSF 72	33 RSK 72
		1.5 .058	72	-	-	-	-	-	-	-	35 RM 72	35 RS 72	-	-
		1.6 .063	72	-	-	36 RM3 72	36 RS3 72	36 RD3 72	-	-	36 RM 72	36 RS 72	-	-
650, 7000, P-65, P-70, P-85, P-100, R-20, R-21, R-22, R-23, R-30, R-35, R-40, R-416, R-420, R-421, R-435, R-440														
33 13	3/8"	1.5 .058	52	-	-	-	-	-	-	-	35 RM 52	35 RS 52	-	-
38 15	3/8"	1.5 .058	56	-	-	-	-	-	-	-	35 RM 56	35 RS 56	-	-
40 16	3/8"	1.3 .050	60	-	-	33 RM3 60	33 RS3 60	33 RD3 60	-	-	33 RM 60	33 RS 60	33 RSF 60	33 RSK 60
		1.5 .058	60	-	-	-	-	-	-	-	35 RM 60	35 RS 60	-	-
45 18	3/8"	1.3 .050	68	-	-	33 RM3 68	33 RS3 68	33 RD3 68	-	-	33 RM 68	33 RS 68	33 RSF 68	33 RSK 68
		1.5 .058	68	-	-	-	-	-	-	-	35 RM 68	35 RS 68	-	-
50 20	3/8"	1.3 .050	72	-	-	33 RM3 72	33 RS3 72	33 RD3 72	-	-	33 RM 72	33 RS 72	33 RSF 72	33 RSK 72
		1.5 .058	72	-	-	-	-	-	-	-	35 RM 72	35 RS 72	-	-
		1.6 .063	72	-	-	36 RM3 72	36 RS3 72	36 RD3 72	-	-	36 RM 72	36 RS 72	-	-
P-360, P-400, P-450, P-500, P-5000														
28 11	.325	1.5 .058	52	-	-	25 RM3 52	-	25 RD3 52	-	-	25 RM 52	25 RS 52	-	-
33 13	.325	1.3 .050	56	-	-	23 RM3 56	-	23 RD3 56	-	-	23 RM 56	23 RS 56	-	-
		1.5 .058	56	-	-	25 RM3 56	-	25 RD3 56	-	-	25 RM 56	25 RS 56	-	-
38 15	.325	1.3 .050	64	-	-	23 RM3 64	-	23 RD3 64	-	-	23 RM 64	23 RS 64	-	-
		1.5 .058	64	-	-	25 RM3 64	-	25 RD3 64	-	-	25 RM 64	25 RS 64	-	-
40 16	.325	1.3 .050	66	-	-	23 RM3 66	-	23 RD3 66	-	-	23 RM 66	23 RS 66	-	-
		1.5 .058	66	-	-	25 RM3 66	-	25 RD3 66	-	-	25 RM 66	25 RS 66	-	-
45 18	.325	1.3 .050	72	-	-	23 RM3 72	-	23 RD3 72	-	-	23 RM 72	23 RS 72	-	-
		1.5 .058	72	-	-	25 RM3 72	-	25 RD3 72	-	-	25 RM 72	25 RS 72	-	-
50 20	.325	1.3 .050	78	-	-	23 RM3 78	-	23 RD3 78	-	-	23 RM 78	23 RS 78	-	-
		1.5 .058	78	-	-	25 RM3 78	-	25 RD3 78	-	-	25 RM 78	25 RS 78	-	-

				STIHL RAPID Micro 3	STIHL RAPID Super 3	STIHL RAPID Duro 3	STIHL RAPID Micro	STIHL RAPID Super	STIHL RAPID Super F	STIHL RAPID Super K
Model	Bar Length cm in.	Bar Width mm in.	Chain Pitch							
1074, P-21, P-26, P-28										
28 11	.325	1.5 .058	52	25 RM3 52	–	25 RD3 52	25 RM 52	25 RS 52	–	–
33 13	.325	1.3 .050	56	23 RM3 56	–	23 RD3 56	23 RM 56	23 RS 56	–	–
		1.5 .058	56	25 RM3 56	–	25 RD3 56	25 RM 56	25 RS 56	–	–
38 15	.325	1.3 .050	64	23 RM3 64	–	23 RD3 64	23 RM 64	23 RS 64	–	–
		1.5 .058	64	25 RM3 64	–	25 RD3 64	25 RM 64	25 RS 64	–	–
40 16	.325	1.3 .050	66	23 RM3 66	–	23 RD3 66	23 RM 66	23 RS 66	–	–
		1.5 .058	66	25 RM3 66	–	25 RD3 66	25 RM 66	25 RS 66	–	–
45 18	.325	1.3 .050	72	23 RM3 72	–	23 RD3 72	23 RM 72	23 RS 72	–	–
		1.5 .058	72	25 RM3 72	–	25 RD3 72	25 RM 72	25 RS 72	–	–
50 20	.325	1.3 .050	78	23 RM3 78	–	23 RD3 78	23 RM 78	23 RS 78	–	–
		1.5 .058	78	25 RM3 78	–	25 RD3 78	25 RM 78	25 RS 78	–	–
515, 970, 1072, 1073, Farmlite, P-11, P-20, P-25										
40 16	3/8"	1.3 .050	60	33 RM3 60	33 RS3 60	33 RD3 60	33 RM 60	33 RS 60	33 RSF 60	33 RSK 60
		1.5 .058	60	–	–	–	35 RM 60	35 RS 60	–	–
45 18	3/8"	1.5 .058	68	–	–	–	35 RM 68	35 RS 68	–	–
		1.3 .050	72	33 RM3 72	33 RS3 72	33 RD3 72	33 RM 72	33 RS 72	33 RSF 72	33 RSK 72
50 20	3/8"	1.5 .058	72	–	–	–	35 RM 72	35 RS 72	–	–
		1.6 .063	72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	36 RS 72	–	–
Farmsaw, Farmsaw II, P-38, P-39, P-41, P-42, P-45, P-50, P-51, P-52, P-60, P-61, P-62, P-285										
40 16	3/8"	1.3 .050	60	33 RM3 60	33 RS3 60	33 RD3 60	33 RM 60	33 RS 60	33 RSF 60	33 RSK 60
		1.5 .058	60	–	–	–	35 RM 60	35 RS 60	–	–
45 18	3/8"	1.5 .058	68	–	–	–	35 RM 68	35 RS 68	–	–
		1.3 .050	72	33 RM3 72	33 RS3 72	33 RD3 72	33 RM 72	33 RS 72	33 RSF 72	33 RSK 72
50 20	3/8"	1.5 .058	72	–	–	–	35 RM 72	35 RS 72	–	–
		1.6 .063	72	36 RM3 72	36 RS3 72	36 RD3 72	36 RM 72	36 RS 72	–	–
81 32	3/8"	1.6 .063	110	36 RM3 110	36 RS3 110	36 RD3 110	36 RM 110	36 RS 110	–	–
91 36	3/8"	1.6 .063	119	36 RM3 119	36 RS3 119	36 RD3 119	36 RM 119	36 RS 119	–	–
P-10, P-12										
30 12	3/8" P	1.3 .050	45	–	63 PS3 45	–	–	–	–	–
35 14	3/8" P	1.3 .050	52	–	63 PS3 52	–	–	–	–	–
40 16	3/8" P	1.3 .050	56	–	63 PS3 56	–	–	–	–	–




POULAN

POULAN

																
		cm in.	mm in.	STIHL PICCO Micro 3	STIHL PICCO Duro 3	STIHL RAPID Micro 3	STIHL RAPID Super 3	STIHL RAPID Duro 3	STIHL PICCO Micro	STIHL PICCO Super	STIHL RAPID Micro	STIHL RAPID Micro H	STIHL RAPID Micro K	STIHL RAPID Super	STIHL RAPID Super F	STIHL RAPID Super K
325																
28 11	.325	1.5 .058	52	-	-	25 RM3 52	-	25 RD3 52	-	-	25 RM 52	-	-	25 RS 52	-	-
33 13	.325	1.3 .050	56	-	-	23 RM3 56	-	23 RD3 56	-	-	23 RM 56	-	-	23 RS 56	-	-
		1.5 .058	56	-	-	25 RM3 56	-	25 RD3 56	-	-	25 RM 56	-	-	25 RS 56	-	-
38 15	.325	1.3 .050	64	-	-	23 RM3 64	-	23 RD3 64	-	-	23 RM 64	-	-	23 RS 64	-	-
		1.5 .058	64	-	-	25 RM3 64	-	25 RD3 64	-	-	25 RM 64	-	-	25 RS 64	-	-
40 16	.325	1.3 .050	66	-	-	23 RM3 66	-	23 RD3 66	-	-	23 RM 66	-	-	23 RS 66	-	-
		1.5 .058	66	-	-	25 RM3 66	-	25 RD3 66	-	-	25 RM 66	-	-	25 RS 66	-	-
45 18	.325	1.3 .050	72	-	-	23 RM3 72	-	23 RD3 72	-	-	23 RM 72	-	-	23 RS 72	-	-
		1.5 .058	72	-	-	25 RM3 72	-	25 RD3 72	-	-	25 RM 72	-	-	25 RS 72	-	-
50 20	.325	1.3 .050	78	-	-	23 RM3 78	-	23 RD3 78	-	-	23 RM 78	-	-	23 RS 78	-	-
		1.5 .058	78	-	-	25 RM3 78	-	25 RD3 78	-	-	25 RM 78	-	-	25 RS 78	-	-
203, 245, 306, 360 A, 360, 361, 375, 400, 445, 450, 3400, 3700, 3800																
40 16	3/8"	1.3 .050	60	-	-	33 RM3 60	33 RS3 60	33 RD3 60	-	-	33 RM 60	-	-	33 RS 60	33 RSF 60	33 RSK 60
45 18	3/8"	1.3 .050	64	-	-	33 RM3 64	33 RS3 64	33 RD3 64	-	-	33 RM 64	-	-	33 RS 64	33 RSF 64	33 RSK 64
		1.3 .050	66	-	-	33 RM3 66	33 RS3 66	33 RD3 66	-	-	33 RM 66	-	-	33 RS 66	33 RSF 66	33 RSK 66
50 20	3/8"	1.3 .050	70	-	-	33 RM3 70	33 RS3 70	33 RD3 70	-	-	33 RM 70	-	-	33 RS 70	33 RSF 70	33 RSK 70
60 24	3/8"	1.3 .050	81	-	-	33 RM3 81	33 RS3 81	33 RD3 81	-	-	33 RM 81	-	-	33 RS 81	33 RSF 81	33 RSK 81
71 28	3/8"	1.3 .050	92	-	-	33 RM3 92	33 RS3 92	33 RD3 92	-	-	33 RM 92	-	-	33 RS 92	33 RSF 92	33 RSK 92
255, 285, 295, 305, 306 SA, 310, 315, 335 Predator, 336, 2700, 2750, 2775, 2800, 2900, 3000, 3050, 3100, 3300																
33 13	.325	1.3 .050	56	-	-	23 RM3 56	-	23 RD3 56	-	-	23 RM 56	-	-	23 RS 56	-	-
38 15	.325	1.3 .050	64	-	-	23 RM3 64	-	23 RD3 64	-	-	23 RM 64	-	-	23 RS 64	-	-
40 16	.325	1.3 .050	66	-	-	23 RM3 66	-	23 RD3 66	-	-	23 RM 66	-	-	23 RS 66	-	-
45 18	.325	1.3 .050	72	-	-	23 RM3 72	-	23 RD3 72	-	-	23 RM 72	-	-	23 RS 72	-	-
50 20	.325	1.3 .050	78	-	-	23 RM3 78	-	23 RD3 78	-	-	23 RM 78	-	-	23 RS 78	-	-
25 A, 180, 190, 200, 205, 210, 220, 221, 225, 230, 235, 236, 240, 255, 260, 1220, 1800, 1900, 1900 LE, 1950, 1950 LE, 2000, 2050, 2055, 2055 LE, 2075, 2075 C, 2150, 2155, 2175, 2250, 2250 LE, 2300, 2350, 2375, 2375 LE, 2450, 2550, 3314, 3416, 3516, 3816, 3816 AV, 3818, 4018, 4218, 4218 AV, E 14 E, E 16 E, ES 350, Micro 25 (XX Series and XXV Series), S 23, S 25, S 25 AV, S 25 CVA, S 25 D, S 25 DA, S 35 (after conversion to 3/8" pitch); Electric Models: 1420, 1425, 1625, 2100, 2400, 2500, 2600, Electric Pro 400 E, Patriot 1900, Wildthing, Woodshark																
25 10	3/8" P	1.3 .050	40	63 PM3 40	63 PD3 40	-	63 PS3 40	-	63 PM 40	63 PS 40	-	-	-	-	-	-
30 12	3/8" P	1.3 .050	45	63 PM3 45	63 PD3 45	-	63 PS3 45	-	63 PM 45	63 PS 45	-	-	-	-	-	-
		1.3 .050	47	63 PM3 47	63 PD3 47	-	63 PS3 47	-	63 PM 47	63 PS 47	-	-	-	-	-	-
35 14	3/8" P	1.3 .050	52	63 PM3 52	63 PD3 52	-	63 PS3 52	-	63 PM 52	63 PS 52	-	-	-	-	-	-
		1.3 .050	56	63 PM3 56	63 PD3 56	-	63 PS3 56	-	63 PM 56	63 PS 56	-	-	-	-	-	-
40 16	3/8" P	1.3 .050	58	63 PM3 58	63 PD3 58	-	63 PS3 58	-	63 PM 58	63 PS 58	-	-	-	-	-	-
		1.3 .050	62	63 PM3 62	63 PD3 62	-	63 PS3 62	-	63 PM 62	63 PS 62	-	-	-	-	-	-
330, 365, 380, 3350, 3450, 3500, 3600, 3650, 3750																
40 16	3/8"	1.3 .050	60	-	-	33 RM3 60	33 RS3 60	33 RD3 60	-	-	33 RM 60	-	-	33 RS 60	33 RSF 60	33 RSK 60
45 18	3/8"	1.3 .050	66	-	-	33 RM3 66	33 RS3 66	33 RD3 66	-	-	33 RM 66	-	-	33 RS 66	33 RSF 66	33 RSK 66
50 20	3/8"	1.3 .050	70	-	-	33 RM3 70	33 RS3 70	33 RD3 70	-	-	33 RM 70	-	-	33 RS 70	33 RSF 70	33 RSK 70
56 22	3/8"	1.3 .050	76	-	-	33 RM3 76	33 RS3 76	33 RD3 76	-	-	33 RM 76	-	-	33 RS 76	33 RSF 76	33 RSK 76
60 24	3/8"	1.3 .050	84	-	-	33 RM3 84	33 RS3 84	33 RD3 84	-	-	33 RM 84	-	-	33 RS 84	33 RSF 84	33 RSK 84
395, 3900, 4000, 4200, 4400, 4900, 5200, 5400, 5500, 6700																
40 16	3/8"	1.3 .050	60	-	-	33 RM3 60	33 RS3 60	33 RD3 60	-	-	33 RM 60	-	-	33 RS 60	33 RSF 60	33 RSK 60
45 18	3/8"	1.3 .050	64	-	-	33 RM3 64	33 RS3 64	33 RD3 64	-	-	33 RM 64	-	-	33 RS 64	33 RSF 64	33 RSK 64
		1.3 .050	66	-	-	33 RM3 66	33 RS3 66	33 RD3 66	-	-	33 RM 66	-	-	33 RS 66	33 RSF 66	33 RSK 66
50 20	3/8"	1.3 .050	70	-	-	33 RM3 70	33 RS3 70	33 RD3 70	-	-	33 RM 70	-	-	33 RS 70	33 RSF 70	33 RSK 70
60 24	3/8"	1.3 .050	81	-	-	33 RM3 81	33 RS3 81	33 RD3 81	-	-	33 RM 81	-	-	33 RS 81	33 RSF 81	33 RSK 81
69 27	3/8"	1.3 .050	92	-	-	33 RM3 92	33 RS3 92	33 RD3 92	-	-	33 RM 92	-	-	33 RS 92	33 RSF 92	33 RSK 92
71 28	3/8"	1.3 .050	93	-	-	33 RM3 93	33 RS3 93	33 RD3 93	-	-	33 RM 93	-	-	33 RS 93	33 RSF 93	33 RSK 93
81 32	3/8"	1.3 .050	105	-	-	33 RM3 105	33 RS3 105	33 RD3 105	-	-	33 RM 105	-	-	33 RS 105	33 RSF 105	33 RSK 105
405, 455, 525, 655																

STIHL																
cm in.	mm in.	mm in.		STIHL PICCO Micro 3	STIHL PICCO Duro 3	STIHL RAPID Micro 3	STIHL RAPID Super 3	STIHL RAPID Duro 3	STIHL PICCO Micro	STIHL PICCO Super	STIHL RAPID Micro	STIHL RAPID Micro H	STIHL RAPID Micro K	STIHL RAPID Super	STIHL RAPID Super F	STIHL RAPID Super K
40 16	3/8"	1.3 .050	60	-	-	33 RM3 60	33 RS3 60	33 RD3 60	-	-	33 RM 60	-	-	33 RS 60	33 RSF 60	33 RSK 60
45 18	3/8"	1.3 .050	66	-	-	33 RM3 66	33 RS3 66	33 RD3 66	-	-	33 RM 66	-	-	33 RS 66	33 RSF 66	33 RSK 66
50 20	3/8"	1.3 .050	72	-	-	33 RM3 72	33 RS3 72	33 RD3 72	-	-	33 RM 72	-	-	33 RS 72	33 RSF 72	33 RSK 72
	3/8"	1.5 .058	70	-	-	-	-	-	-	-	35 RM 70	-	-	35 RS 70	-	-
60 24	3/8"	1.3 .050	84	-	-	33 RM3 84	33 RS3 84	33 RD3 84	-	-	33 RM 84	-	-	33 RS 84	33 RSF 84	33 RSK 84
81 32	3/8"	1.6 .063	110	-	-	36 RM3 110	36 RS3 110	36 RD3 110	-	-	36 RM 110	-	-	36 RS 110	-	-
91 36	3/8"	1.6 .063	119	-	-	36 RM3 119	36 RS3 119	36 RD3 119	-	-	36 RM 119	-	-	36 RS 119	-	-
414, 425, 475, 505																
81 32	.404	1.6 .063	95	-	-	-	-	-	-	-	46 RM 95	46 RMH 95	46 RMK 95	46 RS 95	46 RSF 95	-
91 36	.404	1.6 .063	104	-	-	-	-	-	-	-	46 RM 104	46 RMH 104	46 RMK 104	46 RS 104	46 RSF 104	-
415, 425, 445, 475, 505																
33 13	3/8"	1.5 .058	52	-	-	-	-	-	-	-	35 RM 52	-	-	35 RS 52	-	-
38 15	3/8"	1.5 .058	56	-	-	-	-	-	-	-	35 RM 56	-	-	35 RS 56	-	-
40 16	3/8"	1.3 .050	60	-	-	33 RM3 60	33 RS3 60	33 RD3 60	-	-	33 RM 60	-	-	33 RS 60	33 RSF 60	33 RSK 60
	3/8"	1.5 .058	60	-	-	-	-	-	-	-	35 RM 60	-	-	35 RS 60	-	-
45 18	3/8"	1.3 .050	68	-	-	33 RM3 68	33 RS3 68	33 RD3 68	-	-	33 RM 68	-	-	33 RS 68	33 RSF 68	33 RSK 68
	3/8"	1.5 .058	68	-	-	-	-	-	-	-	35 RM 68	-	-	35 RS 68	-	-
50 20	3/8"	1.3 .050	72	-	-	33 RM3 72	33 RS3 72	33 RD3 72	-	-	33 RM 72	-	-	33 RS 72	33 RSF 72	33 RSK 72
	3/8"	1.5 .058	72	-	-	-	-	-	-	-	35 RM 72	-	-	35 RS 72	-	-
	3/8"	1.6 .063	72	-	-	36 RM3 72	36 RS3 72	36 RD3 72	-	-	36 RM 72	-	-	36 RS 72	-	-
56 22	3/8"	1.3 .050	76	-	-	33 RM3 76	33 RS3 76	33 RD3 76	-	-	33 RM 76	-	-	33 RS 76	33 RSF 76	33 RSK 76
60 24	3/8"	1.3 .050	84	-	-	33 RM3 84	33 RS3 84	33 RD3 84	-	-	33 RM 84	-	-	33 RS 84	33 RSF 84	33 RSK 84
	3/8"	1.5 .058	84	-	-	-	-	-	-	-	35 RM 84	-	-	35 RS 84	-	-
	3/8"	1.6 .063	84	-	-	36 RM3 84	36 RS3 84	36 RD3 84	-	-	36 RM 84	-	-	36 RS 84	-	-
71 28	3/8"	1.3 .050	93	-	-	33 RM3 93	33 RS3 93	33 RD3 93	-	-	33 RM 93	-	-	33 RS 93	33 RSF 93	33 RSK 93
	3/8"	1.5 .058	92	-	-	-	-	-	-	-	35 RM 92	-	-	35 RS 92	-	-
	3/8"	1.6 .063	93	-	-	36 RM3 93	36 RS3 93	36 RD3 93	-	-	36 RM 93	-	-	36 RS 93	-	-
76 30	3/8"	1.3 .050	98	-	-	33 RM3 98	33 RS3 98	33 RD3 98	-	-	33 RM 98	-	-	33 RS 98	33 RSF 98	33 RSK 98
	3/8"	1.6 .063	98	-	-	36 RM3 98	36 RS3 98	36 RD3 98	-	-	36 RM 98	-	-	36 RS 98	-	-
81 32	3/8"	1.3 .050	105	-	-	33 RM3 105	33 RS3 105	33 RD3 105	-	-	33 RM 105	-	-	33 RS 105	33 RSF 105	33 RSK 105
	3/8"	1.6 .063	105	-	-	36 RM3 105	36 RS3 105	36 RD3 105	-	-	36 RM 105	-	-	36 RS 105	-	-
84 33	3/8"	1.5 .058	110	-	-	-	-	-	-	-	35 RM 110	-	-	35 RS 110	-	-
86 34	3/8"	1.6 .063	110	-	-	36 RM3 110	36 RS3 110	36 RD3 110	-	-	36 RM 110	-	-	36 RS 110	-	-
91 36	3/8"	1.6 .063	115	-	-	36 RM3 115	36 RS3 115	36 RD3 115	-	-	36 RM 115	-	-	36 RS 115	-	-
94 37	3/8"	1.5 .058	119	-	-	-	-	-	-	-	35 RM 119	-	-	35 RS 119	-	-
	3/8"	1.6 .063	119	-	-	36 RM3 119	36 RS3 119	36 RD3 119	-	-	36 RM 119	-	-	36 RS 119	-	-
107 42	3/8"	1.6 .063	135	-	-	36 RM3 135	36 RS3 135	36 RD3 135	-	-	36 RM 135	-	-	36 RS 135	-	-
6900, 7700, 8500																
40 16	3/8"	1.3 .050	60	-	-	33 RM3 60	33 RS3 60	33 RD3 60	-	-	33 RM 60	-	-	33 RS 60	33 RSF 60	33 RSK 60
	3/8"	1.3 .050	64	-	-	33 RM3 64	33 RS3 64	33 RD3 64	-	-	33 RM 64	-	-	33 RS 64	33 RSF 64	33 RSK 64
45 18	3/8"	1.3 .050	66	-	-	33 RM3 66	33 RS3 66	33 RD3 66	-	-	33 RM 66	-	-	33 RS 66	33 RSF 66	33 RSK 66
50 20	3/8"	1.3 .050	70	-	-	33 RM3 70	33 RS3 70	33 RD3 70	-	-	33 RM 70	-	-	33 RS 70	33 RSF 70	33 RSK 70
	3/8"	1.5 .058	70	-	-	-	-	-	-	-	35 RM 70	-	-	35 RS 70	-	-
53 21	3/8"	1.6 .063	79	-	-	36 RM3 79	36 RS3 79	36 RD3 79	-	-	36 RM 79	-	-	36 RS 79	-	-
60 24	3/8"	1.3 .050	81	-	-	33 RM3 81	33 RS3 81	33 RD3 81	-	-	33 RM 81	-	-	33 RS 81	33 RSF 81	33 RSK 81
69 27	3/8"	1.3 .050	93	-	-	33 RM3 93	33 RS3 93	33 RD3 93	-	-	33 RM 93	-	-	33 RS 93	33 RSF 93	33 RSK 93
81 32	3/8"	1.6 .063	105	-	-	36 RM3 105	36 RS3 105	36 RD3 105	-	-	36 RM 105	-	-	36 RS 105	-	-
91 36	.404	1.6 .063	106	-	-	-	-	-	-	-	46 RM 106	46 RMH 106	46 RMK 106	46 RS 106	46 RSF 106	-
	3/8"	1.6 .063	117	-	-	36 RM3 117	36 RS3 117	36 RD3 117	-	-	36 RM 117	-	-	36 RS 117	-	-
Micro 25 PS																
35 14	3/8" P	1.3 .050	52	63 PM3 52	63 PD3 52	-	63 PS3 52	-	63 PM 52	63 PS 52	-	-	-	-	-	-

POWER PRUNER




									
 cm in.	 mm in.								
		STIHL PICCO Micro Mini 3	STIHL PICCO Micro 3	STIHL PICCO Duro 3	STIHL RAPID Super 3	STIHL PICCO Micro	STIHL PICCO Super		
PP 300, PP 400, PP 600, PP 800, PP 1200, PP 1250, PP 1260, PP 1400, P 1400-D, PPF-2100, PPT-2100, PPF-2400, PPT-2400, PPSR-2122, PPSR-2433									
20 8	$\frac{3}{8}$ " P	1.3 .050	33	-	63 PM3 33	63 PD3 33	63 PS3 33	63 PM 33	63 PS 33
25 10	$\frac{3}{8}$ " P	1.1 .043	39	61 PM3 39	-	-	-	-	-
		1.3 .050	39	-	63 PM3 39	63 PD3 39	63 PS3 39	63 PM 39	63 PS 39
30 12	$\frac{3}{8}$ " P	1.1 .043	44	61 PM3 44	-	-	-	-	-
		1.3 .050	44	-	63 PM3 44	63 PD3 44	63 PS3 44	63 PM 44	63 PS 44

REMINGTON

STIHL		STIHL													
cm in.	mm in.	STIHL PICCO Micro Mini 3	STIHL PICCO Micro 3	STIHL PICCO Duro 3	STIHL RAPID Micro 3	STIHL RAPID Super 3	STIHL RAPID Duro 3	STIHL PICCO Micro	STIHL PICCO Super	STIHL RAPID Micro	STIHL RAPID Super	STIHL RAPID Super F	STIHL RAPID Super K		
075703 L, 075705 J, 075762 J, 075890 L, 076728 K, 098031 J, 099039 J, 099178 H, 100089-05, 100089-06, 100089-07, 100089-08, 107624-01, 107625-01, 107709-01, 107714-02, EL-6, EL-7, LNT-2; 106821 Pole Saw															
20 8	3/8" P	1.3 .050	34	-	63 PM3 34	63 PD3 34	-	63 PS3 34	-	63 PM 34	63 PS 34	-	-	-	
25 10	3/8" P	1.3 .050	40	-	63 PM3 40	63 PD3 40	-	63 PS3 40	-	63 PM 40	63 PS 40	-	-	-	
30 12	3/8" P	1.3 .050	45	-	63 PM3 45	63 PD3 45	-	63 PS3 45	-	63 PM 45	63 PS 45	-	-	-	
35 14	3/8" P	1.3 .050	50	-	63 PM3 50	63 PD3 50	-	63 PS3 50	-	63 PM 50	63 PS 50	-	-	-	
38 15	3/8" P	1.3 .050	53	-	63 PM3 53	63 PD3 53	-	63 PS3 53	-	63 PM 53	63 PS 53	-	-	-	
40 16	3/8" P	1.3 .050	56	-	63 PM3 56	63 PD3 56	-	63 PS3 56	-	63 PM 56	63 PS 56	-	-	-	
10" Electric Pole Saw Wizard															
25 10	3/8" P	1.3 .050	40	-	63 PM3 40	63 PD3 40	-	63 PS3 40	-	63 PM 40	63 PS 40	-	-	-	
100, 500, 812, 814, 816, 840 AV, 850 AV, 860 AV, Job Master, Mighty Mite, Outdoorsman II, Rancher, Weekender, Yardmaster															
30 12	3/8" P	1.3 .050	44	-	63 PM3 44	63 PD3 44	-	63 PS3 44	-	63 PM 44	63 PS 44	-	-	-	
35 14	3/8" P	1.3 .050	49	-	63 PM3 49	63 PD3 49	-	63 PS3 49	-	63 PM 49	63 PS 49	-	-	-	
40 16	3/8" P	1.3 .050	54	-	63 PM3 54	63 PD3 54	-	63 PS3 54	-	63 PM 54	63 PS 54	-	-	-	
107624-01, 107624-02, 107625-01, 107625-02, EL-8															
40 16	3/8" P	1.3 .050	56	-	63 PM3 56	63 PD3 56	-	63 PS3 56	-	63 PM 56	63 PS 56	-	-	-	
11409-01 Branch Wizard, 6" Branch Wizard															
6	3/8" P	1.1 .043	26	61 PM3 26	-	-	-	-	-	-	-	-	-	-	
15012, 15014, 30016, 35016															
30 12	3/8" P	1.3 .050	48	-	63 PM3 48	63 PD3 48	-	63 PS3 48	-	63 PM 48	63 PS 48	-	-	-	
35 14	3/8" P	1.3 .050	52	-	63 PM3 52	63 PD3 52	-	63 PS3 52	-	63 PM 52	63 PS 52	-	-	-	
40 16	3/8" P	1.3 .050	58	-	63 PM3 58	63 PD3 58	-	63 PS3 58	-	63 PM 58	63 PS 58	-	-	-	
EL-1, 104317 Pole Saw															
20 8	3/8" P	1.1 .043	34	61 PM3 34	-	-	-	-	-	-	-	-	-	-	
EL-1, EL-1 FS, LNT-2 FS															
20 8	3/8" P	1.3 .050	34	-	63 PM3 34	63 PD3 34	-	63 PS3 34	-	63 PM 34	63 PS 34	-	-	-	
25 10	3/8" P	1.3 .050	40	-	63 PM3 40	63 PD3 40	-	63 PS3 40	-	63 PM 40	63 PS 40	-	-	-	
30 12	3/8" P	1.3 .050	45	-	63 PM3 45	63 PD3 45	-	63 PS3 45	-	63 PM 45	63 PS 45	-	-	-	
35 14	3/8" P	1.3 .050	50	-	63 PM3 50	63 PD3 50	-	63 PS3 50	-	63 PM 50	63 PS 50	-	-	-	
40 16	3/8" P	1.3 .050	56	-	63 PM3 56	63 PD3 56	-	63 PS3 56	-	63 PM 56	63 PS 56	-	-	-	
Logger, PL-4, PL-5, SL-4, SL-9, SL-10, SL-14, SL-16, Woodsman															
40 16	3/8" P	1.3 .050	60	-	-	-	33 RM3 60	33 RS3 60	33 RD3 60	-	-	33 RM 60	33 RS 60	33 RSF 60	33 RSK 60
			64	-	-	-	33 RM3 64	33 RS3 64	33 RD3 64	-	-	33 RM 64	33 RS 64	33 RSF 64	33 RSK 64
45 18	3/8" P	1.3 .050	66	-	-	-	33 RM3 66	33 RS3 66	33 RD3 66	-	-	33 RM 66	33 RS 66	33 RSF 66	33 RSK 66
50 20	3/8" P	1.3 .050	70	-	-	-	33 RM3 70	33 RS3 70	33 RD3 70	-	-	33 RM 70	33 RS 70	33 RSF 70	33 RSK 70
60 24	3/8" P	1.3 .050	81	-	-	-	33 RM3 81	33 RS3 81	33 RD3 81	-	-	33 RM 81	33 RS 81	33 RSF 81	33 RSK 81
M 15012 US, M 15014 AS, M 15014 US, M 30016 AS, M 30016 US, M 35016 AW, M 35016 UW															
30 12	3/8" P	1.3 .050	48	-	63 PM3 48	63 PD3 48	-	63 PS3 48	-	63 PM 48	63 PS 48	-	-	-	
35 14	3/8" P	1.3 .050	52	-	63 PM3 52	63 PD3 52	-	63 PS3 52	-	63 PM 52	63 PS 52	-	-	-	
40 16	3/8" P	1.3 .050	58	-	63 PM3 58	63 PD3 58	-	63 PS3 58	-	63 PM 58	63 PS 58	-	-	-	
PL-55, SL-11															
40 16	3/8" P	1.3 .050	60	-	-	-	33 RM3 60	33 RS3 60	33 RD3 60	-	-	33 RM 60	33 RS 60	33 RSF 60	33 RSK 60
			64	-	-	-	33 RM3 64	33 RS3 64	33 RD3 64	-	-	33 RM 64	33 RS 64	33 RSF 64	33 RSK 64
45 18	3/8" P	1.3 .050	66	-	-	-	33 RM3 66	33 RS3 66	33 RD3 66	-	-	33 RM 66	33 RS 66	33 RSF 66	33 RSK 66
50 20	3/8" P	1.3 .050	70	-	-	-	33 RM3 70	33 RS3 70	33 RD3 70	-	-	33 RM 70	33 RS 70	33 RSF 70	33 RSK 70
60 24	3/8" P	1.3 .050	81	-	-	-	33 RM3 81	33 RS3 81	33 RD3 81	-	-	33 RM 81	33 RS 81	33 RSF 81	33 RSK 81

STIHL		STIHL											
cm in.	mm in.	STIHL PICCO Micro Mini 3	STIHL PICCO Micro 3	STIHL PICCO Duro 3	STIHL RAPID Micro 3	STIHL RAPID Super 3	STIHL RAPID Duro 3	STIHL PICCO Micro	STIHL PICCO Super	STIHL RAPID Micro	STIHL RAPID Super	STIHL RAPID Super F	STIHL RAPID Super K
35201													
50 20	.325 1.3 .050 78	-	-	-	23 RM3 78	-	23 RD3 78	-	-	23 RM 78	23 RS 78	-	-
35256													
40 16	3/8" P 1.3 .050 59	-	63 PM3 59	63 PD3 59	-	63 PS3 59	-	63 PM 59	63 PS 59	-	-	-	-
79245													
20 8	3/8" P 1.1 .043 34	61 PM3 34	-	-	-	-	-	-	-	-	-	-	-
25 10	3/8" P 1.1 .043 40	61 PM3 40	-	-	-	-	-	-	-	-	-	-	-
3400, 3401, 3402, 3407, 3411, 3412, 3414, 3415, 3425, 3445, 3455, 3460, 3461, 3476, 34071, 34115, 34116, 35023, 35025, 35027, 35028, 35037, 35038, 35044, 35046, 35048, 35056, 35058, 35060, 35080, 35081, 35082, 35091, 35093, 35095, 35096, 35202, 35203, 35205, 35206, 35207, 35209, 35211, 35212, 35216, 35219, 35224, 35231, 35232, 35235, 35238, 35255, 35256, 35270, 35273, 35280, 35283, 35363, 35366, 5367, 35504, 35505, 35506, 35508, 35512, 35514, 35515, 35516, 35713, 35714, 35717, 35718, 35736, 35824, 358341040, 358350810, 358350670, 358360360, 358360380, 35841, 35886, 351040, 351140, 352680, 36010, 36012, 36015, 36017, 36080, 36082, 36085, 36087													
30 12	3/8" P 1.1 .043 45 1.3 .050 47	61 PM3 45	-	-	-	-	-	63 PM 45	63 PS 45	-	-	-	-
35 14	3/8" P 1.1 .043 52 1.3 .050 52	61 PM3 52	-	-	-	-	-	63 PM 52	63 PS 52	-	-	-	-
40 16	3/8" P 1.1 .043 56 1.3 .050 58	61 PM3 56	-	-	-	-	-	63 PM 56	63 PS 56	-	-	-	-
45 18	3/8" P 1.3 .050 62	-	63 PM3 62	63 PD3 62	-	63 PS3 62	-	63 PM 62	63 PS 62	-	-	-	-
3403, 3416, 3417, 3470, 3471, 3481													
35 14	3/8" P 1.3 .050 52	-	63 PM3 52	63 PD3 52	-	63 PS3 52	-	63 PM 52	63 PS 52	-	-	-	-
34107 – Electric EZ Tool-less chain tensioning, 35081 – Gas EZ Adjust Bar, 41 AZ 63 NQ 799													
40 16	3/8" P 1.3 .050 55	-	63 PM3 55	63 PD3 55	-	63 PS3 55	-	63 PM 55	63 PS 55	-	-	-	-
45 18	3/8" P 1.3 .050 62	-	63 PM3 62	63 PD3 62	-	63 PS3 62	-	63 PM 62	63 PS 62	-	-	-	-
35020, 35119, 35120, 35121, 35492, 35607, 35624, 35624.2, 35628, 5633													
40 16	.325 1.3 .050 66	-	-	-	23 RM3 66	-	23 RD3 66	-	-	23 RM 66	23 RS 66	-	-
45 18	.325 1.3 .050 72	-	-	-	23 RM3 72	-	23 RD3 72	-	-	23 RM 72	23 RS 72	-	-
50 20	.325 1.3 .050 78	-	-	-	23 RM3 78	-	23 RD3 78	-	-	23 RM 78	23 RS 78	-	-
35084, 41 AY 85 AR 799													
45 18	3/8" 1.3 .050 66	-	-	-	33 RM3 66	33 RS3 66	33 RD3 66	-	-	33 RM 66	33 RS 66	33 RSF 66	33 RSK 66
35145, 35212, 35483, 35608, 35609, 35690, 35721, 35727, 35728, 35826, 35829, 35851, 35881, 35885 Electrics (1983 Models Forward), 35887, 35889													
38 15	3/8" 1.3 .050 57	-	-	-	33 RM3 57	33 RS3 57	33 RD3 57	-	-	33 RM 57	33 RS 57	33 RSF 57	33 RSK 57
40 16	3/8" 1.3 .050 60	-	-	-	33 RM3 60	33 RS3 60	33 RD3 60	-	-	33 RM 60	33 RS 60	33 RSF 60	33 RSK 60
45 18	3/8" 1.3 .050 66	-	-	-	33 RM3 64	33 RS3 64	33 RD3 64	-	-	33 RM 64	33 RS 64	33 RSF 64	33 RSK 64
50 20	3/8" 1.3 .050 70	-	-	-	33 RM3 66	33 RS3 66	33 RD3 66	-	-	33 RM 66	33 RS 66	33 RSF 66	33 RSK 66
60 24	3/8" 1.3 .050 81	-	-	-	33 RM3 70	33 RS3 70	33 RD3 70	-	-	33 RM 70	33 RS 70	33 RSF 70	33 RSK 70
69 27	3/8" 1.3 .050 92	-	-	-	33 RM3 81	33 RS3 81	33 RD3 81	-	-	33 RM 81	33 RS 81	33 RSF 81	33 RSK 81
35507 PS													
40 16	3/8" P 1.3 .050 56	-	63 PM3 56	63 PD3 56	-	63 PS3 56	-	63 PM 56	63 PS 56	-	-	-	-




				STIHL PICCO Micro Mini 3	STIHL PICCO Micro 3	STIHL PICCO Duro 3	STIHL RAPID Micro 3	STIHL RAPID Super 3	STIHL RAPID Duro 3	STIHL PICCO Micro	STIHL PICCO Super	STIHL RAPID Micro	STIHL RAPID Super	STIHL RAPID Super F	STIHL RAPID Super K
		cm in.	mm in.												
104 P, 180, 285 s, 300, 345, 350, 352, 352 s, 357, 360, E 305 AV															
35 14	3/8" P	1.3 .050	52	-	63 PM3 52	63 PD3 52	-	63 PS3 52	-	63 PM 52	63 PS 52	-	-	-	-
			53	-	63 PM3 53	63 PD3 53	-	63 PS3 53	-	63 PM 53	63 PS 53	-	-	-	-
40 16	3/8" P	1.3 .050	57	-	63 PM3 57	63 PD3 57	-	63 PS3 57	-	63 PM 57	63 PS 57	-	-	-	-
			59	-	63 PM3 59	63 PD3 59	-	63 PS3 59	-	63 PM 59	63 PS 59	-	-	-	-
45 18	3/8" P	1.3 .050	62	-	63 PM3 62	63 PD3 62	-	63 PS3 62	-	63 PM 62	63 PS 62	-	-	-	-
			63	-	63 PM3 63	63 PD3 63	-	63 PS3 63	-	63 PM 63	63 PS 63	-	-	-	-
360, 366, 377, 400, 415, 416, 446 s, 450, 451, 488, 488 S, 500															
33 13	.325	1.3 .050	56	-	-	-	23 RM3 56	-	23 RD3 56	-	-	23 RM 56	23 RS 56	-	-
38 15	.325	1.3 .050	64	-	-	-	23 RM3 64	-	23 RD3 64	-	-	23 RM 64	23 RS 64	-	-
40 16	.325	1.3 .050	66	-	-	-	23 RM3 66	-	23 RD3 66	-	-	23 RM 66	23 RS 66	-	-
45 18	.325	1.3 .050	72	-	-	-	23 RM3 72	-	23 RD3 72	-	-	23 RM 72	23 RS 72	-	-
50 20	.325	1.3 .050	78	-	-	-	23 RM3 78	-	23 RD3 78	-	-	23 RM 78	23 RS 78	-	-
550, 575, 577															
33 13	3/8"	1.5 .058	52	-	-	-	-	-	-	-	-	35 RM 52	35 RS 52	-	-
38 15	3/8"	1.5 .058	56	-	-	-	-	-	-	-	-	35 RM 56	35 RS 56	-	-
40 16	3/8"	1.5 .058	60	-	-	-	-	-	-	-	-	35 RM 60	35 RS 60	-	-
45 18	3/8"	1.5 .058	68	-	-	-	-	-	-	-	-	35 RM 68	35 RS 68	-	-
50 20	3/8"	1.5 .058	72	-	-	-	-	-	-	-	-	35 RM 72	35 RS 72	-	-
60 24	3/8"	1.3 .050	84	-	-	-	33 RM3 84	33 RS3 84	33 RD3 84	-	-	33 RM 84	33 RS 84	33 RSF 84	33 RSK 84
			84	-	-	-	-	-	-	-	-	35 RM 84	35 RS 84	-	-
71 28	3/8"	1.5 .058	92	-	-	-	-	-	-	-	-	35 RM 92	35 RS 92	-	-
680, 695, 757, 757 C, 757 W															
33 13	3/8"	1.5 .058	52	-	-	-	-	-	-	-	-	35 RM 52	35 RS 52	-	-
38 15	3/8"	1.5 .058	56	-	-	-	-	-	-	-	-	35 RM 56	35 RS 56	-	-
40 16	3/8"	1.3 .050	60	-	-	-	33 RM3 60	33 RS3 60	33 RD3 60	-	-	33 RM 60	33 RS 60	33 RSF 60	33 RSK 60
			60	-	-	-	-	-	-	-	-	35 RM 60	35 RS 60	-	-
45 18	3/8"	1.3 .050	68	-	-	-	33 RM3 68	33 RS3 68	33 RD3 68	-	-	33 RM 68	33 RS 68	33 RSF 68	33 RSK 68
			68	-	-	-	-	-	-	-	-	35 RM 68	35 RS 68	-	-
50 20	3/8"	1.3 .050	72	-	-	-	33 RM3 72	33 RS3 72	33 RD3 72	-	-	33 RM 72	33 RS 72	33 RSF 72	33 RSK 72
			72	-	-	-	-	-	-	-	-	35 RM 72	35 RS 72	-	-
56 22	3/8"	1.6 .063	72	-	-	-	36 RM3 72	36 RS3 72	36 RD3 72	-	-	36 RM 72	36 RS 72	-	-
			76	-	-	-	33 RM3 76	33 RS3 76	33 RD3 76	-	-	33 RM 76	33 RS 76	33 RSF 76	33 RSK 76
60 24	3/8"	1.3 .050	84	-	-	-	33 RM3 84	33 RS3 84	33 RD3 84	-	-	33 RM 84	33 RS 84	33 RSF 84	33 RSK 84
			84	-	-	-	-	-	-	-	-	35 RM 84	35 RS 84	-	-
71 28	3/8"	1.3 .050	93	-	-	-	33 RM3 93	33 RS3 93	33 RD3 93	-	-	33 RM 93	33 RS 93	33 RSF 93	33 RSK 93
			93	-	-	-	-	-	-	-	-	35 RM 93	35 RS 93	-	-
76 30	3/8"	1.6 .063	93	-	-	-	36 RM3 93	36 RS3 93	36 RD3 93	-	-	36 RM 93	36 RS 93	-	-
			98	-	-	-	33 RM3 98	33 RS3 98	33 RD3 98	-	-	33 RM 98	33 RS 98	33 RSF 98	33 RSK 98
81 32	3/8"	1.3 .050	98	-	-	-	36 RM3 98	36 RS3 98	36 RD3 98	-	-	36 RM 98	36 RS 98	-	-
			105	-	-	-	33 RM3 105	33 RS3 105	33 RD3 105	-	-	33 RM 105	33 RS 105	33 RSF 105	33 RSK 105
84 33	3/8"	1.6 .063	105	-	-	-	36 RM3 105	36 RS3 105	36 RD3 105	-	-	36 RM 105	36 RS 105	-	-
			110	-	-	-	-	-	-	-	-	35 RM 110	35 RS 110	-	-
86 34	3/8"	1.5 .058	110	-	-	-	36 RM3 110	36 RS3 110	36 RD3 110	-	-	36 RM 110	36 RS 110	-	-
91 36	3/8"	1.6 .063	115	-	-	-	36 RM3 115	36 RS3 115	36 RD3 115	-	-	36 RM 115	36 RS 115	-	-
94 37	3/8"	1.5 .058	119	-	-	-	-	-	-	-	-	35 RM 119	35 RS 119	-	-
			119	-	-	-	36 RM3 119	36 RS3 119	36 RD3 119	-	-	36 RM 119	36 RS 119	-	-
107 42	3/8"	1.6 .063	135	-	-	-	36 RM3 135	36 RS3 135	36 RD3 135	-	-	36 RM 135	36 RS 135	-	-

STIHL															
 cm in.		 mm in.		STIHL PICCO Micro Mini 3	STIHL PICCO Micro 3	STIHL PICCO Duro 3	STIHL RAPID Micro 3	STIHL RAPID Super 3	STIHL RAPID Duro 3	STIHL PICCO Micro	STIHL PICCO Super	STIHL RAPID Micro	STIHL RAPID Super	STIHL RAPID Super F	STIHL RAPID Super K
90, 100, 110, 120, 140, 150, Electric, 160 Electric, 300, 300 S															
30 12	$\frac{3}{8}$ " P	1.1 .043	45	61 PM3 45	-	-	-	-	-	-	-	-	-	-	-
		1.3 .050	47	-	63 PM3 45	63 PD3 45	-	63 PS3 45	-	63 PM 45	63 PS 45	-	-	-	-
35 14	$\frac{3}{8}$ " P	1.1 .043	52	61 PM3 52	-	-	-	-	-	-	-	-	-	-	-
		1.3 .050	52	-	63 PM3 52	63 PD3 52	-	63 PS3 52	-	63 PM 52	63 PS 52	-	-	-	-
40 16	$\frac{3}{8}$ " P	1.1 .043	56	61 PM3 56	-	-	-	-	-	-	-	-	-	-	-
		1.3 .050	56	-	63 PM3 56	63 PD3 56	-	63 PS3 56	-	63 PM 56	63 PS 56	-	-	-	-
		1.3 .050	57	-	63 PM3 57	63 PD3 57	-	63 PS3 57	-	63 PM 57	63 PS 57	-	-	-	-
45 18	$\frac{3}{8}$ " P	1.3 .050	62	-	63 PM3 62	63 PD3 62	-	63 PS3 62	-	63 PM 62	63 PS 62	-	-	-	-
P 230, P 231, Pruner Attachment #78701, Pruner Tool #65002															
20 8	$\frac{3}{8}$ " P	1.1 .043	33	61 PM3 33	-	-	-	-	-	-	-	-	-	-	-
25 10	$\frac{3}{8}$ " P	1.1 .043	39	61 PM3 39	-	-	-	-	-	-	-	-	-	-	-
30 12	$\frac{3}{8}$ " P	1.1 .043	44	61 PM3 44	-	-	-	-	-	-	-	-	-	-	-

SOLO

SOLO TANAKA

STIHL		STIHL											
cm in.	mm in.	STIHL PICCO Micro Mini 3	STIHL PICCO Micro 3	STIHL PICCO Duro 3	STIHL RAPID Micro 3	STIHL RAPID Super 3	STIHL RAPID Duro 3	STIHL PICCO Micro	STIHL PICCO Super	STIHL RAPID Micro	STIHL RAPID Super	STIHL RAPID Super F	STIHL RAPID Super K
603, 662, 667, 670, 680, 690, 694													
33 13	$\frac{3}{8}$ "	1.5 .058	52	-	-	-	-	-	-	35 RM 52	35 RS 52	-	-
38 15	$\frac{3}{8}$ "	1.5 .058	56	-	-	-	-	-	-	35 RM 56	35 RS 56	-	-
40 16	$\frac{3}{8}$ "	1.3 .050	60	-	-	33 RM3 60	33 RS3 60	33 RD3 60	-	33 RM 60	33 RS 60	33 RSF 60	33 RSK 60
		1.5 .058	60	-	-	-	-	-	-	35 RM 60	35 RS 60	-	-
45 18	$\frac{3}{8}$ "	1.3 .050	68	-	-	33 RM3 68	33 RS3 68	33 RD3 68	-	33 RM 68	33 RS 68	33 RSF 68	33 RSK 68
		1.5 .058	68	-	-	-	-	-	-	35 RM 68	35 RS 68	-	-
50 20	$\frac{3}{8}$ "	1.3 .050	72	-	-	33 RM3 72	33 RS3 72	33 RD3 72	-	33 RM 72	33 RS 72	33 RSF 72	33 RSK 72
		1.5 .058	72	-	-	-	-	-	-	35 RM 72	35 RS 72	-	-
56 22	$\frac{3}{8}$ "	1.3 .050	76	-	-	33 RM3 76	33 RS3 76	33 RD3 76	-	33 RM 76	33 RS 76	33 RSF 76	33 RSK 76
		1.3 .050	84	-	-	33 RM3 84	33 RS3 84	33 RD3 84	-	33 RM 84	33 RS 84	33 RSF 84	33 RSK 84
60 24	$\frac{3}{8}$ "	1.5 .058	84	-	-	-	-	-	-	35 RM 84	35 RS 84	-	-
		1.6 .063	84	-	-	36 RM3 84	36 RS3 84	36 RD3 84	-	36 RM 84	36 RS 84	-	-
71 28	$\frac{3}{8}$ "	1.3 .050	93	-	-	33 RM3 93	33 RS3 93	33 RD3 93	-	33 RM 93	33 RS 93	33 RSF 93	33 RSK 93
		1.5 .058	93	-	-	-	-	-	-	35 RM 93	35 RS 93	-	-
76 30	$\frac{3}{8}$ "	1.6 .063	93	-	-	36 RM3 93	36 RS3 93	36 RD3 93	-	36 RM 93	36 RS 93	-	-
		1.3 .050	98	-	-	33 RM3 98	33 RS3 98	33 RD3 98	-	33 RM 98	33 RS 98	33 RSF 98	33 RSK 98
81 32	$\frac{3}{8}$ "	1.6 .063	98	-	-	36 RM3 98	36 RS3 98	36 RD3 98	-	36 RM 98	36 RS 98	-	-
		1.3 .050	105	-	-	33 RM3 105	33 RS3 105	33 RD3 105	-	33 RM 105	33 RS 105	33 RSF 105	33 RSK 105
84 33	$\frac{3}{8}$ "	1.6 .063	105	-	-	36 RM3 105	36 RS3 105	36 RD3 105	-	36 RM 105	36 RS 105	-	-
		1.5 .058	110	-	-	-	-	-	-	35 RM 110	35 RS 110	-	-
86 34	$\frac{3}{8}$ "	1.6 .063	110	-	-	36 RM3 110	36 RS3 110	36 RD3 110	-	36 RM 110	36 RS 110	-	-
91 36	$\frac{3}{8}$ "	1.6 .063	115	-	-	36 RM3 115	36 RS3 115	36 RD3 115	-	36 RM 115	36 RS 115	-	-
94 37	$\frac{3}{8}$ "	1.5 .058	119	-	-	-	-	-	-	35 RM 119	35 RS 119	-	-
		1.6 .063	119	-	-	36 RM3 119	36 RS3 119	36 RD3 119	-	36 RM 119	36 RS 119	-	-
107 42	$\frac{3}{8}$ "	1.6 .063	135	-	-	36 RM3 135	36 RS3 135	36 RD3 135	-	36 RM 135	36 RS 135	-	-
614, 631, 632, 634, 638, 639, 641, 644, 645, 647, 650, 651, 651 SP, 654													
33 13	.325	1.3 .050	56	-	-	23 RM3 56	-	23 RD3 56	-	23 RM 56	23 RS 56	-	-
38 15	.325	1.3 .050	64	-	-	23 RM3 64	-	23 RD3 64	-	23 RM 64	23 RS 64	-	-
40 16	.325	1.3 .050	66	-	-	23 RM3 66	-	23 RD3 66	-	23 RM 66	23 RS 66	-	-
		1.5 .058	67	-	-	23 RM3 67	-	23 RD3 67	-	23 RM 67	23 RS 67	-	-
		1.5 .058	67	-	-	25 RM3 67	-	25 RD3 67	-	25 RM 67	25 RS 67	-	-
45 18	.325	1.3 .050	72	-	-	23 RM3 72	-	23 RD3 72	-	23 RM 72	23 RS 72	-	-
		1.5 .058	73	-	-	23 RM3 73	-	23 RD3 73	-	23 RM 73	23 RS 73	-	-
50 20	.325	1.5 .058	73	-	-	25 RM3 73	-	25 RD3 73	-	25 RM 73	25 RS 73	-	-
		1.3 .050	78	-	-	23 RM3 78	-	23 RD3 78	-	23 RM 78	23 RS 78	-	-
		1.5 .058	79	-	-	23 RM3 79	-	23 RD3 79	-	23 RM 79	23 RS 79	-	-
630, 633, 635, 636, 637, 640	$\frac{3}{8}$ " P	1.3 .050	45	-	63 PM3 45	63 PD3 45	-	63 PS3 45	-	63 PM 45	63 PS 45	-	-
		1.1 .043	52	61 PM3 52	-	-	-	-	-	-	-	-	-
35 14	$\frac{3}{8}$ " P	1.3 .050	52	-	63 PM3 52	63 PD3 52	-	63 PS3 52	-	63 PM 52	63 PS 52	-	-
		1.3 .050	56	-	63 PM3 56	63 PD3 56	-	63 PS3 56	-	63 PM 56	63 PS 56	-	-
45 18	$\frac{3}{8}$ " P	1.3 .050	62	-	63 PM3 62	63 PD3 62	-	63 PS3 62	-	63 PM 62	63 PS 62	-	-

						
 cm in.	 mm in.	STIHL PICCO Micro 3	STIHL PICCO Duro 3	STIHL RAPID Super 3	STIHL PICCO Micro	STIHL PICCO Super
TB 3516, TB 4516						
40 16	3/8" P 1.3 .050 55	63 PM3 55	63 PD3 55	63 PS3 55	63 PM 55	63 PS 55
TB 4016, TB 4218						
40 16	3/8" P 1.3 .050 54	63 PM3 54	63 PD3 54	63 PS3 54	63 PM 54	63 PS 54
45 18	3/8" P 1.3 .050 60	63 PM3 60	63 PD3 60	63 PS3 60	63 PM 60	63 PS 60
TB 4620, TB 4920, TB 5020						
50 20	.325 1.3 .050 78	-	-	-	-	-
TB 5018						
45 18	.325 1.3 .050 72	-	-	-	-	-